



[opra home](#) | [contact opra](#) | [njdep home](#)

-
-
-
-

Annual Certified Parameter List

MID-ATLANTIC ENVIRONMENTAL LABORATORIES, INC. (Lab ID Number: DE003)

30 LUKENS DR STE A
NEW CASTLE DE 19720

Lab Contact Name	WAYNE M WELLS, II
E-mail Address	wwells@maelinc.com
Phone Number	302-654-1340
Fax Number	302-654-1058

Parameter	Matrix Code	Status	Approved Method	Technique	Parameter Code	Eligible to Report NJ Data	Nelap State or Country Code
Acenaphthene	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09010	Yes	NJ
Acenaphthene	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.15580	Yes	NJ
Acenaphthene	NPW	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.17490	Yes	NJ
Acenaphthene	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07060	Yes	NJ
Acenaphthene	SCM	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.09000	Yes	NJ
Acenaphthene	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.17750	Yes	NJ
Acenaphthene	NPW	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.19690	Yes	NJ
Acenaphthene	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09230	Yes	NJ
Acenaphthene	SCM	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.11170	Yes	NJ
Acenaphthylene	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09020	Yes	NJ
Acenaphthylene	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.15590	Yes	NJ
Acenaphthylene	NPW	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.17500	Yes	NJ
Acenaphthylene	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07070	Yes	NJ
Acenaphthylene	SCM	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.09010	Yes	NJ
Acenaphthylene	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.17760	Yes	NJ
Acenaphthylene	NPW	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.19700	Yes	NJ
Acenaphthylene	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09240	Yes	NJ
Acenaphthylene	SCM	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.11180	Yes	NJ
Acetone	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.07870	Yes	NJ
Acetone	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03510	No	NJ
Acetone	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08080	No	NJ
Acetone	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13110	Yes	NJ
Acetone	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04590	Yes	NJ
Acetone	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14330	Yes	NJ
Acetone	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.05810	Yes	NJ
Acetonitrile	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.07880	Yes	NJ
Acetonitrile	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13120	Yes	NJ
Acetonitrile	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04600	Yes	NJ
Acetonitrile	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14340	Yes	NJ
Acetonitrile	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.05820	Yes	NJ
Acetophenone	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09030	Yes	NJ
Acetophenone	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.15600	Yes	NJ
Acetophenone	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07080	Yes	NJ
Acetophenone	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.17770	Yes	NJ
Acetophenone	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09250	Yes	NJ
Acidity as CaCO3	NPW	Certified	SM 2310 B-11	Electrometric or Phenolphthalein	NPW03.00020	Yes	NJ
Acifluorfen	NPW	Applied	SW-846 8151A	GC, Extraction, ECD, Capillary	NPW10.12200	No	NJ
Acifluorfen	SCM	Applied	SW-846 8151A	GC, Extraction, ECD, Capillary	SCM09.04610	No	NJ
Acrolein	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.07890	Yes	NJ
Acrolein	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13130	Yes	NJ
Acrolein	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04610	Yes	NJ
Acrolein	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14350	Yes	NJ

Acrolein	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.05830	Yes	NJ
Acrylonitrile	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.07900	Yes	NJ
Acrylonitrile	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13140	Yes	NJ
Acrylonitrile	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04620	Yes	NJ
Acrylonitrile	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14360	Yes	NJ
Acrylonitrile	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.05840	Yes	NJ
Aldrin	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03360	Yes	NJ
Aldrin	NPW	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	NPW10.09480	Yes	NJ
Aldrin	SCM	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	SCM09.01890	Yes	NJ
Aldrin	NPW	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	NPW10.09880	Yes	NJ
Aldrin	SCM	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	SCM09.02290	Yes	NJ
Alkalinity as CaCO3	NPW	Certified	SM 2320 B-11	Electrometric or Color Titration	NPW03.00060	Yes	NJ
Allyl chloride	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.07910	Yes	NJ
Allyl chloride	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03580	No	NJ
Allyl chloride	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08090	No	NJ
Allyl chloride	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13150	Yes	NJ
Allyl chloride	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04630	Yes	NJ
Allyl chloride	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14370	Yes	NJ
Allyl chloride	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.05850	Yes	NJ
Alpha BHC	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03370	Yes	NJ
Alpha BHC	NPW	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	NPW10.09490	Yes	NJ
Alpha BHC	SCM	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	SCM09.01900	Yes	NJ
Alpha BHC	NPW	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	NPW10.09890	Yes	NJ
Alpha BHC	SCM	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	SCM09.02300	Yes	NJ
Aluminum	DW	Dropped	EPA 200.5	ICP - Axially Viewed	DW07.00030	No	NJ
Aluminum	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.00050	Yes	NJ
Aluminum	NPW	Certified	SW-846 6010B	ICP	NPW08.00001	Yes	NJ
Aluminum	SCM	Certified	SW-846 6010B	ICP	SCM07.00010	Yes	NJ
Aluminum	NPW	Certified	SW-846 6010C	ICP	NPW08.00010	Yes	NJ
Aluminum	SCM	Certified	SW-846 6010C	ICP	SCM07.00020	Yes	NJ
Aluminum	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.00080	No	NJ
Aluminum	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.00040	No	NJ
Ammonia	NPW	Dropped	SM 4500-NH3 B plus C-11	Distillation, Titration	NPW03.00160	No	NJ
Ammonia	NPW	Applied	SM 4500-NH3 B plus F-11	Distillation, Manual Phenate	NPW03.00300	No	NJ
Aniline	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09070	Yes	NJ
Aniline	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.15670	Yes	NJ
Aniline	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07150	Yes	NJ
Aniline	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.17840	Yes	NJ
Aniline	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09320	Yes	NJ
Anthracene	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09080	Yes	NJ
Anthracene	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.15680	Yes	NJ
Anthracene	NPW	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.17510	Yes	NJ
Anthracene	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07160	Yes	NJ
Anthracene	SCM	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.09020	Yes	NJ
Anthracene	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.17850	Yes	NJ
Anthracene	NPW	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.19710	Yes	NJ
Anthracene	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09330	Yes	NJ
Anthracene	SCM	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.11190	Yes	NJ
Antimony	DW	Dropped	EPA 200.5	ICP - Axially Viewed	DW07.00040	No	NJ
Antimony	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.00220	Yes	NJ
Antimony	NPW	Certified	SW-846 6010B	ICP	NPW08.00170	Yes	NJ
Antimony	SCM	Certified	SW-846 6010B	ICP	SCM07.00050	Yes	NJ
Antimony	NPW	Certified	SW-846 6010C	ICP	NPW08.00180	Yes	NJ
Antimony	SCM	Certified	SW-846 6010C	ICP	SCM07.00060	Yes	NJ
Antimony	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.00250	No	NJ
Antimony	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.00090	No	NJ
Arsenic	DW	Dropped	EPA 200.5	ICP - Axially Viewed	DW07.00060	No	NJ
Arsenic	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.00370	Yes	NJ
Arsenic	NPW	Certified	SW-846 6010B	ICP	NPW08.00330	Yes	NJ
Arsenic	SCM	Certified	SW-846 6010B	ICP	SCM07.00110	Yes	NJ
Arsenic	NPW	Certified	SW-846 6010C	ICP	NPW08.00340	Yes	NJ
Arsenic	SCM	Certified	SW-846 6010C	ICP	SCM07.00120	Yes	NJ
Arsenic	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.00400	No	NJ
Arsenic	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.00150	No	NJ
Atrazine	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.15700	Yes	NJ
Atrazine	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07180	Yes	NJ
Atrazine	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.17870	Yes	NJ
Atrazine	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09350	Yes	NJ
Barium	DW	Dropped	EPA 200.5	ICP - Axially Viewed	DW07.00100	No	NJ
Barium	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.00510	Yes	NJ
Barium	NPW	Certified	SW-846 6010B	ICP	NPW08.00470	Yes	NJ
Barium	SCM	Certified	SW-846 6010B	ICP	SCM07.00160	Yes	NJ

Barium	NPW	Certified	SW-846 6010C	ICP	NPW08.00480	Yes	NJ
Barium	SCM	Certified	SW-846 6010C	ICP	SCM07.00170	Yes	NJ
Barium	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.00540	No	NJ
Barium	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.00200	No	NJ
Bentazon	NPW	Applied	SW-846 8151A	GC, Extraction, ECD, Capillary	NPW10.12210	No	NJ
Bentazon	SCM	Applied	SW-846 8151A	GC, Extraction, ECD, Capillary	SCM09.04620	No	NJ
Benzal chloride	NPW	Applied	EPA 625	Extract, GC/MS	NPW11.09100	No	NJ
Benzaldehyde	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.15720	Yes	NJ
Benzaldehyde	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07200	Yes	NJ
Benzaldehyde	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.17890	Yes	NJ
Benzaldehyde	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09370	Yes	NJ
Benzene	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02300	Yes	NJ
Benzene	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.07940	Yes	NJ
Benzene	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03600	No	NJ
Benzene	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08100	No	NJ
Benzene	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13180	Yes	NJ
Benzene	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04660	Yes	NJ
Benzene	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14390	Yes	NJ
Benzene	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.05870	Yes	NJ
Benzidine	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09110	Yes	NJ
Benzidine	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.15740	Yes	NJ
Benzidine	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07220	Yes	NJ
Benzidine	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.17910	Yes	NJ
Benzidine	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09390	Yes	NJ
Benzo(a)anthracene	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09120	Yes	NJ
Benzo(a)anthracene	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.15750	Yes	NJ
Benzo(a)anthracene	NPW	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.17520	Yes	NJ
Benzo(a)anthracene	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07230	Yes	NJ
Benzo(a)anthracene	SCM	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.09030	Yes	NJ
Benzo(a)anthracene	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.17920	Yes	NJ
Benzo(a)anthracene	NPW	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.19720	Yes	NJ
Benzo(a)anthracene	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09400	Yes	NJ
Benzo(a)anthracene	SCM	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.11200	Yes	NJ
Benzo(a)pyrene	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09130	Yes	NJ
Benzo(a)pyrene	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.15760	Yes	NJ
Benzo(a)pyrene	NPW	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.17530	Yes	NJ
Benzo(a)pyrene	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07240	Yes	NJ
Benzo(a)pyrene	SCM	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.09040	Yes	NJ
Benzo(a)pyrene	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.17930	Yes	NJ
Benzo(a)pyrene	NPW	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.19730	Yes	NJ
Benzo(a)pyrene	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09410	Yes	NJ
Benzo(a)pyrene	SCM	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.11210	Yes	NJ
Benzo(b)fluoranthene	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09140	Yes	NJ
Benzo(b)fluoranthene	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.15770	Yes	NJ
Benzo(b)fluoranthene	NPW	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.17540	Yes	NJ
Benzo(b)fluoranthene	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07250	Yes	NJ
Benzo(b)fluoranthene	SCM	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.09050	Yes	NJ
Benzo(b)fluoranthene	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.17940	Yes	NJ
Benzo(b)fluoranthene	NPW	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.19740	Yes	NJ
Benzo(b)fluoranthene	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09420	Yes	NJ
Benzo(b)fluoranthene	SCM	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.11220	Yes	NJ
Benzo(ghi)perylene	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09150	Yes	NJ
Benzo(ghi)perylene	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.15780	Yes	NJ
Benzo(ghi)perylene	NPW	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.17550	Yes	NJ
Benzo(ghi)perylene	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07260	Yes	NJ
Benzo(ghi)perylene	SCM	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.09060	Yes	NJ
Benzo(ghi)perylene	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.17950	Yes	NJ
Benzo(ghi)perylene	NPW	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.19750	Yes	NJ
Benzo(ghi)perylene	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09430	Yes	NJ
Benzo(ghi)perylene	SCM	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.11230	Yes	NJ
Benzoic acid	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09180	Yes	NJ
Benzoic acid	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.15810	Yes	NJ
Benzoic acid	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07290	Yes	NJ
Benzoic acid	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.17980	Yes	NJ
Benzoic acid	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09460	Yes	NJ
Benzo(k)fluoranthene	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09170	Yes	NJ
Benzo(k)fluoranthene	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.15800	Yes	NJ
Benzo(k)fluoranthene	NPW	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.17560	Yes	NJ
Benzo(k)fluoranthene	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07280	Yes	NJ
Benzo(k)fluoranthene	SCM	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.09070	Yes	NJ
Benzo(k)fluoranthene	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.17970	Yes	NJ
Benzo(k)fluoranthene	NPW	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.19760	Yes	NJ

Benzo(k)fluoranthene	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09450	Yes	NJ
Benzo(k)fluoranthene	SCM	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.11240	Yes	NJ
Benzyl alcohol	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.15830	Yes	NJ
Benzyl alcohol	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07310	Yes	NJ
Benzyl alcohol	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18000	Yes	NJ
Benzyl alcohol	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09480	Yes	NJ
Benzyl chloride	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13190	Yes	NJ
Benzyl chloride	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04670	Yes	NJ
Benzyl chloride	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14400	Yes	NJ
Benzyl chloride	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.05880	Yes	NJ
Beryllium	DW	Dropped	EPA 200.5	ICP - Axially Viewed	DW07.00140	No	NJ
Beryllium	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.00680	Yes	NJ
Beryllium	NPW	Certified	SW-846 6010B	ICP	NPW08.00630	Yes	NJ
Beryllium	SCM	Certified	SW-846 6010B	ICP	SCM07.00220	Yes	NJ
Beryllium	NPW	Certified	SW-846 6010C	ICP	NPW08.00640	Yes	NJ
Beryllium	SCM	Certified	SW-846 6010C	ICP	SCM07.00230	Yes	NJ
Beryllium	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.00710	No	NJ
Beryllium	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.00260	No	NJ
Beta BHC	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03380	Yes	NJ
Beta BHC	NPW	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	NPW10.09510	Yes	NJ
Beta BHC	SCM	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	SCM09.01920	Yes	NJ
Beta BHC	NPW	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	NPW10.09910	Yes	NJ
Beta BHC	SCM	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	SCM09.02320	Yes	NJ
Biochemical oxygen demand	NPW	Applied	SM 5210 B-11	Dissolved Oxygen Depletion - Membrane Electrode	NPW03.00350	No	NJ
Biphenyl (1,1'-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.15860	Yes	NJ
Biphenyl (1,1'-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07340	Yes	NJ
Biphenyl (1,1'-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18030	Yes	NJ
Biphenyl (1,1'-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09510	Yes	NJ
Bis (2-chloroethoxy) methane	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09210	Yes	NJ
Bis (2-chloroethoxy) methane	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.15870	Yes	NJ
Bis (2-chloroethoxy) methane	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07350	Yes	NJ
Bis (2-chloroethoxy) methane	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18040	Yes	NJ
Bis (2-chloroethoxy) methane	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09520	Yes	NJ
Bis (2-chloroethyl) ether	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09220	Yes	NJ
Bis (2-chloroethyl) ether	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.15880	Yes	NJ
Bis (2-chloroethyl) ether	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07360	Yes	NJ
Bis (2-chloroethyl) ether	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18050	Yes	NJ
Bis (2-chloroethyl) ether	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09530	Yes	NJ
Bis(2-chloroisopropyl)ether[2,2'-oxybis(2-chloropropane)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09230	Yes	NJ
Bis(2-chloroisopropyl)ether[2,2'-oxybis(2-chloropropane)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.15890	Yes	NJ
Bis(2-chloroisopropyl)ether[2,2'-oxybis(2-chloropropane)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07370	Yes	NJ
Bis(2-chloroisopropyl)ether[2,2'-oxybis(2-chloropropane)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18060	Yes	NJ
Bis(2-chloroisopropyl)ether[2,2'-oxybis(2-chloropropane)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09540	Yes	NJ
Bis (2-ethylhexyl) phthalate	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09240	Yes	NJ
Bis (2-ethylhexyl) phthalate	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.15900	Yes	NJ
Bis (2-ethylhexyl) phthalate	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07380	Yes	NJ
Bis (2-ethylhexyl) phthalate	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18070	Yes	NJ
Bis (2-ethylhexyl) phthalate	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09550	Yes	NJ
Boron	NPW	Certified	EPA 200.7	ICP	NPW08.00860	Yes	NJ
Boron	NPW	Certified	SW-846 6010B	ICP	NPW08.00810	Yes	NJ
Boron	SCM	Certified	SW-846 6010B	ICP	SCM07.00270	Yes	NJ
Boron	NPW	Certified	SW-846 6010C	ICP	NPW08.00820	Yes	NJ
Boron	SCM	Certified	SW-846 6010C	ICP	SCM07.00280	Yes	NJ
Boron	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.00890	No	NJ
Boron	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.00300	No	NJ
Bromide	NPW	Applied	SW-846 9056A	Ion Chromatography	NPW03.00580	No	NJ
Bromide	SCM	Applied	SW-846 9056A	Ion Chromatography	SCM03.00130	No	NJ
Bromobenzene	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02310	Yes	NJ
Bromobenzene	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.07950	Yes	NJ
Bromobenzene	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13200	Yes	NJ
Bromobenzene	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04680	Yes	NJ
Bromobenzene	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14410	Yes	NJ
Bromobenzene	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.05890	Yes	NJ
Bromochloromethane	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02320	Yes	NJ
Bromochloromethane	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.07960	Yes	NJ
Bromochloromethane	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13210	Yes	NJ
Bromochloromethane	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04690	Yes	NJ
Bromochloromethane	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14420	Yes	NJ
Bromochloromethane	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.05900	Yes	NJ
Bromodichloromethane	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02330	Yes	NJ
Bromodichloromethane	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.07970	Yes	NJ

Bromodichloromethane	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03640	No	NJ
Bromodichloromethane	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08110	No	NJ
Bromodichloromethane	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13220	Yes	NJ
Bromodichloromethane	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04700	Yes	NJ
Bromodichloromethane	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14430	Yes	NJ
Bromodichloromethane	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.05910	Yes	NJ
Bromoform	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02340	Yes	NJ
Bromoform	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.07990	Yes	NJ
Bromoform	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03650	No	NJ
Bromoform	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08120	No	NJ
Bromoform	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13240	Yes	NJ
Bromoform	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04720	Yes	NJ
Bromoform	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14450	Yes	NJ
Bromoform	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.05930	Yes	NJ
Bromomethane	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02350	Yes	NJ
Bromomethane	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08000	Yes	NJ
Bromomethane	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03660	No	NJ
Bromomethane	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08130	No	NJ
Bromomethane	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13250	Yes	NJ
Bromomethane	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04730	Yes	NJ
Bromomethane	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14460	Yes	NJ
Bromomethane	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.05940	Yes	NJ
Bromophenyl-phenyl ether (4-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09250	Yes	NJ
Bromophenyl-phenyl ether (4-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.15910	Yes	NJ
Bromophenyl-phenyl ether (4-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07390	Yes	NJ
Bromophenyl-phenyl ether (4-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18080	Yes	NJ
Bromophenyl-phenyl ether (4-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09560	Yes	NJ
Butadiene (1,3)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03670	No	NJ
Butadiene (1,3)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08140	No	NJ
Butanone (2-) [Methyl ethyl ketone]	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08030	Yes	NJ
Butanone (2-) [Methyl ethyl ketone]	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13290	Yes	NJ
Butanone (2-) [Methyl ethyl ketone]	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04770	Yes	NJ
Butanone (2-) [Methyl ethyl ketone]	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14500	Yes	NJ
Butanone (2-) [Methyl ethyl ketone]	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.05980	Yes	NJ
Butyl acetate (n-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08040	Yes	NJ
Butylbenzene (n-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02370	Yes	NJ
Butylbenzene (n-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08070	Yes	NJ
Butylbenzene (n-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13330	Yes	NJ
Butylbenzene (n-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04810	Yes	NJ
Butylbenzene (n-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14540	Yes	NJ
Butylbenzene (n-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06020	Yes	NJ
Butylbenzylphthalate	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09260	Yes	NJ
Butylbenzylphthalate	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.15920	Yes	NJ
Butylbenzylphthalate	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07400	Yes	NJ
Butylbenzylphthalate	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18090	Yes	NJ
Butylbenzylphthalate	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09570	Yes	NJ
Cadmium	DW	Dropped	EPA 200.5	ICP - Axially Viewed	DW07.00180	No	NJ
Cadmium	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.01030	Yes	NJ
Cadmium	NPW	Certified	SW-846 6010B	ICP	NPW08.00970	Yes	NJ
Cadmium	SCM	Certified	SW-846 6010B	ICP	SCM07.00320	Yes	NJ
Cadmium	NPW	Certified	SW-846 6010C	ICP	NPW08.00980	Yes	NJ
Cadmium	SCM	Certified	SW-846 6010C	ICP	SCM07.00330	Yes	NJ
Cadmium	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.01060	No	NJ
Cadmium	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.00360	No	NJ
Calcium	DW	Dropped	EPA 200.5	ICP - Axially Viewed	DW07.00220	No	NJ
Calcium	DW	Dropped	EPA 200.7	ICP	DW07.00200	No	NJ
Calcium	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.01200	Yes	NJ
Calcium	NPW	Certified	SW-846 6010B	ICP	NPW08.01160	Yes	NJ
Calcium	SCM	Certified	SW-846 6010B	ICP	SCM07.00380	Yes	NJ
Calcium	NPW	Certified	SW-846 6010C	ICP	NPW08.01170	Yes	NJ
Calcium	SCM	Certified	SW-846 6010C	ICP	SCM07.00390	Yes	NJ
Calcium	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.01230	No	NJ
Calcium	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.00410	No	NJ
Caprolactam	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.15930	Yes	NJ
Caprolactam	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07410	Yes	NJ
Caprolactam	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18100	Yes	NJ
Caprolactam	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09580	Yes	NJ
Carbazole	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09270	Yes	NJ
Carbazole	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.15940	Yes	NJ
Carbazole	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07420	Yes	NJ
Carbazole	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18110	Yes	NJ
Carbazole	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09590	Yes	NJ

Carbonaceous BOD (CBOD)	NPW	Applied	SM 5210 B-11	Diss. Oxygen Depl., Nitrif. Inhib. - Membrane Electrode	NPW03.00660	No	NJ
Carbon disulfide	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08080	Yes	NJ
Carbon disulfide	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03700	No	NJ
Carbon disulfide	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08150	No	NJ
Carbon disulfide	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13340	Yes	NJ
Carbon disulfide	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04820	Yes	NJ
Carbon disulfide	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14550	Yes	NJ
Carbon disulfide	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06030	Yes	NJ
Carbon tetrachloride	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02390	Yes	NJ
Carbon tetrachloride	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08090	Yes	NJ
Carbon tetrachloride	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03720	No	NJ
Carbon tetrachloride	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08160	No	NJ
Carbon tetrachloride	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13350	Yes	NJ
Carbon tetrachloride	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04830	Yes	NJ
Carbon tetrachloride	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14560	Yes	NJ
Carbon tetrachloride	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06040	Yes	NJ
Chemical oxygen demand	NPW	Certified	SM 5220 D-11	Spectrophotometric Manual/Auto	NPW03.00820	Yes	NJ
Chloramben	NPW	Applied	SW-846 8151A	GC, Extraction, ECD, Capillary	NPW10.12220	No	NJ
Chloramben	SCM	Applied	SW-846 8151A	GC, Extraction, ECD, Capillary	SCM09.04630	No	NJ
Chlordane	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03390	Yes	NJ
Chlordane (alpha) (cis-)	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03400	Yes	NJ
Chlordane (alpha) (cis-)	NPW	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	NPW10.09520	Yes	NJ
Chlordane (alpha) (cis-)	SCM	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	SCM09.01930	Yes	NJ
Chlordane (alpha) (cis-)	NPW	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	NPW10.09920	Yes	NJ
Chlordane (alpha) (cis-)	SCM	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	SCM09.02330	Yes	NJ
Chlordane (gamma) (trans-)	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03410	Yes	NJ
Chlordane (gamma) (trans-)	NPW	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	NPW10.09530	Yes	NJ
Chlordane (gamma) (trans-)	SCM	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	SCM09.01940	Yes	NJ
Chlordane (gamma) (trans-)	NPW	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	NPW10.09930	Yes	NJ
Chlordane (gamma) (trans-)	SCM	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	SCM09.02340	Yes	NJ
Chlordane (technical)	NPW	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	NPW10.09540	Yes	NJ
Chlordane (technical)	SCM	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	SCM09.01950	Yes	NJ
Chlordane (technical)	NPW	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	NPW10.09940	Yes	NJ
Chlordane (technical)	SCM	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	SCM09.02350	Yes	NJ
Chloride	DW	Dropped	EPA 300.0	Ion Chromatography	DW03.00420	No	NJ
Chloride	NPW	Applied	EPA 300.0	Ion Chromatography	NPW03.01100	No	NJ
Chloride	NPW	Applied	SW-846 9056A	Ion Chromatography	NPW03.01160	No	NJ
Chloride	SCM	Applied	SW-846 9056A	Ion Chromatography	SCM03.00220	No	NJ
Chloroaniline (4-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09280	Yes	NJ
Chloroaniline (4-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.15980	Yes	NJ
Chloroaniline (4-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07460	Yes	NJ
Chloroaniline (4-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18150	Yes	NJ
Chloroaniline (4-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09630	Yes	NJ
Chlorobenzene	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02410	Yes	NJ
Chlorobenzene	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08100	Yes	NJ
Chlorobenzene	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03750	No	NJ
Chlorobenzene	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08170	No	NJ
Chlorobenzene	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13360	Yes	NJ
Chlorobenzene	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04840	Yes	NJ
Chlorobenzene	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14570	Yes	NJ
Chlorobenzene	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06050	Yes	NJ
Chloroethane	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02430	Yes	NJ
Chloroethane	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08110	Yes	NJ
Chloroethane	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03760	No	NJ
Chloroethane	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08180	No	NJ
Chloroethane	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13370	Yes	NJ
Chloroethane	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04850	Yes	NJ
Chloroethane	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14580	Yes	NJ
Chloroethane	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06060	Yes	NJ
Chloroethyl vinyl ether (2-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08120	Yes	NJ
Chloroethyl vinyl ether (2-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13380	Yes	NJ
Chloroethyl vinyl ether (2-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04860	Yes	NJ
Chloroethyl vinyl ether (2-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14590	Yes	NJ
Chloroethyl vinyl ether (2-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06070	Yes	NJ
Chloroform	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02440	Yes	NJ
Chloroform	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08130	Yes	NJ
Chloroform	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03770	No	NJ
Chloroform	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08190	No	NJ
Chloroform	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13390	Yes	NJ
Chloroform	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04870	Yes	NJ
Chloroform	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14600	Yes	NJ
Chloroform	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06080	Yes	NJ

Chloromethane	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02450	Yes	NJ
Chloromethane	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08140	Yes	NJ
Chloromethane	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03780	No	NJ
Chloromethane	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08200	No	NJ
Chloromethane	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13400	Yes	NJ
Chloromethane	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04880	Yes	NJ
Chloromethane	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14610	Yes	NJ
Chloromethane	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06090	Yes	NJ
Chloronaphthalene (2-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09310	Yes	NJ
Chloronaphthalene (2-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16010	Yes	NJ
Chloronaphthalene (2-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07490	Yes	NJ
Chloronaphthalene (2-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18180	Yes	NJ
Chloronaphthalene (2-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09660	Yes	NJ
Chlorophenol (2-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09320	Yes	NJ
Chlorophenol (2-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16020	Yes	NJ
Chlorophenol (2-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07500	Yes	NJ
Chlorophenol (2-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18190	Yes	NJ
Chlorophenol (2-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09670	Yes	NJ
Chlorophenyl-phenyl ether (4-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09330	Yes	NJ
Chlorophenyl-phenyl ether (4-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16030	Yes	NJ
Chlorophenyl-phenyl ether (4-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07510	Yes	NJ
Chlorophenyl-phenyl ether (4-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18200	Yes	NJ
Chlorophenyl-phenyl ether (4-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09680	Yes	NJ
Chlorotoluene (2-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02460	Yes	NJ
Chlorotoluene (2-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08150	Yes	NJ
Chlorotoluene (2-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03800	No	NJ
Chlorotoluene (2-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08210	No	NJ
Chlorotoluene (2-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13410	Yes	NJ
Chlorotoluene (2-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04890	Yes	NJ
Chlorotoluene (2-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14620	Yes	NJ
Chlorotoluene (2-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06100	Yes	NJ
Chlorotoluene (4-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02470	Yes	NJ
Chlorotoluene (4-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08160	Yes	NJ
Chlorotoluene (4-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13420	Yes	NJ
Chlorotoluene (4-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04900	Yes	NJ
Chlorotoluene (4-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14630	Yes	NJ
Chlorotoluene (4-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06110	Yes	NJ
Chromium	DW	Dropped	EPA 200.5	ICP - Axially Viewed	DW07.00260	No	NJ
Chromium	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.01350	Yes	NJ
Chromium	NPW	Certified	SW-846 6010B	ICP	NPW08.01300	Yes	NJ
Chromium	SCM	Certified	SW-846 6010B	ICP	SCM07.00420	Yes	NJ
Chromium	NPW	Certified	SW-846 6010C	ICP	NPW08.01310	Yes	NJ
Chromium	SCM	Certified	SW-846 6010C	ICP	SCM07.00430	Yes	NJ
Chromium	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.01380	No	NJ
Chromium	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.00460	No	NJ
Chromium (VI)	NPW	Certified	SM 3500-Cr B-11	0.45u Filter, Colorimetric DPC	NPW07.01020	Yes	NJ
Chromium (VI)	NPW	Certified	SW-846 7196A	Colorimetric	NPW07.01000	Yes	NJ
Chromium (VI)	SCM	Certified	SW-846 7196A	Colorimetric	SCM06.00320	Yes	NJ
Chrysene	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09340	Yes	NJ
Chrysene	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16040	Yes	NJ
Chrysene	NPW	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.17570	Yes	NJ
Chrysene	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07520	Yes	NJ
Chrysene	SCM	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.09080	Yes	NJ
Chrysene	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18210	Yes	NJ
Chrysene	NPW	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.19770	Yes	NJ
Chrysene	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09690	Yes	NJ
Chrysene	SCM	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.11250	Yes	NJ
Cobalt	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.01530	Yes	NJ
Cobalt	NPW	Certified	SW-846 6010B	ICP	NPW08.01490	Yes	NJ
Cobalt	SCM	Certified	SW-846 6010B	ICP	SCM07.00490	Yes	NJ
Cobalt	NPW	Certified	SW-846 6010C	ICP	NPW08.01500	Yes	NJ
Cobalt	SCM	Certified	SW-846 6010C	ICP	SCM07.00500	Yes	NJ
Cobalt	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.01560	No	NJ
Cobalt	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.00530	No	NJ
Color	DW	Dropped	SM 2120 B	Platinum-Cobalt	DW03.00550	No	NJ
Copper	DW	Dropped	EPA 200.5	ICP - Axially Viewed	DW07.00320	No	NJ
Copper	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.01690	Yes	NJ
Copper	NPW	Certified	SW-846 6010B	ICP	NPW08.01640	Yes	NJ
Copper	SCM	Certified	SW-846 6010B	ICP	SCM07.00540	Yes	NJ
Copper	NPW	Certified	SW-846 6010C	ICP	NPW08.01650	Yes	NJ
Copper	SCM	Certified	SW-846 6010C	ICP	SCM07.00550	Yes	NJ
Copper	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.01720	No	NJ

Copper	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.00580	No	NJ
Cyanide	NPW	Dropped	SM 4500-CN B-11 plus E-11	Distillation, Spectrophotometric (Manual)	NPW03.01460	No	NJ
Cyanide	NPW	Certified	SM 4500-CN C-11 plus E-11	Distillation, Spectrophotometric (Manual)	NPW03.01470	Yes	NJ
Cyanide	NPW	Certified	SW-846 9010C	Distillation	NPW03.01630	Yes	NJ
Cyanide	SCM	Certified	SW-846 9010C	Distillation	SCM03.00270	Yes	NJ
Cyanide	SCM	Dropped	SW-846 9013	Extraction, Oils and Solids	SCM03.00290	Yes	NJ
Cyanide	NPW	Certified	SW-846 9014	Titrimetric/Manual Spectrophotometric	NPW03.01440	Yes	NJ
Cyanide	SCM	Certified	SW-846 9014	Titrimetric/Manual Spectrophotometric	SCM03.00370	Yes	NJ
Cyanide - amenable to Cl2	SCM	Applied	SW-846 9010C	Distillation	SCM03.00380	No	NJ
Cyclohexane	NPW	Certified	EPA 624	GC/MS, P&T, Capillary Column	NPW11.08180	Yes	NJ
Cyclohexane	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03820	No	NJ
Cyclohexane	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08220	No	NJ
Cyclohexane	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13430	Yes	NJ
Cyclohexane	SCM	Dropped	SW-846 8260B	GC/MS, P&T, or Direct Injection, Capillary	SCM10.04910	Yes	NJ
Cyclohexane	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14650	Yes	NJ
Cyclohexane	SCM	Certified	SW-846 8260C	GC/MS, P&T, or Direct Injection, Capillary	SCM10.06130	Yes	NJ
D (2,4-)	NPW	Certified	SW-846 8151A	GC, Extraction, ECD, Capillary	NPW10.12230	Yes	NJ
D (2,4-)	SCM	Certified	SW-846 8151A	GC, Extraction, ECD, Capillary	SCM09.04640	Yes	NJ
Dalapon	NPW	Applied	SW-846 8151A	GC, Extraction, ECD, Capillary	NPW10.12240	No	NJ
Dalapon	SCM	Applied	SW-846 8151A	GC, Extraction, ECD, Capillary	SCM09.04650	No	NJ
DB (2,4-)	NPW	Applied	SW-846 8151A	GC, Extraction, ECD, Capillary	NPW10.12250	No	NJ
DB (2,4-)	SCM	Applied	SW-846 8151A	GC, Extraction, ECD, Capillary	SCM09.04660	No	NJ
DCPA (Dacthal)	NPW	Applied	SW-846 8151A	GC, Extraction, ECD, Capillary	NPW10.12260	No	NJ
DCPA (Dacthal)	SCM	Applied	SW-846 8151A	GC, Extraction, ECD, Capillary	SCM09.04670	No	NJ
DDD (4,4'-)	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03430	Yes	NJ
DDD (4,4'-)	NPW	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	NPW10.09610	Yes	NJ
DDD (4,4'-)	SCM	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	SCM09.02020	Yes	NJ
DDD (4,4'-)	NPW	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	NPW10.10010	Yes	NJ
DDD (4,4'-)	SCM	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	SCM09.02420	Yes	NJ
DDE (4,4'-)	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03440	Yes	NJ
DDE (4,4'-)	NPW	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	NPW10.09620	Yes	NJ
DDE (4,4'-)	SCM	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	SCM09.02030	Yes	NJ
DDE (4,4'-)	NPW	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	NPW10.10020	Yes	NJ
DDE (4,4'-)	SCM	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	SCM09.02430	Yes	NJ
DDT (4,4'-)	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03450	Yes	NJ
DDT (4,4'-)	NPW	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	NPW10.09630	Yes	NJ
DDT (4,4'-)	SCM	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	SCM09.02040	Yes	NJ
DDT (4,4'-)	NPW	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	NPW10.10030	Yes	NJ
DDT (4,4'-)	SCM	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	SCM09.02440	Yes	NJ
Decane (n-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09350	Yes	NJ
Decane (n-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16080	Yes	NJ
Decane (n-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07560	Yes	NJ
Decane (n-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18250	Yes	NJ
Decane (n-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09730	Yes	NJ
Delta BHC	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03460	Yes	NJ
Delta BHC	NPW	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	NPW10.09640	Yes	NJ
Delta BHC	SCM	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	SCM09.02050	Yes	NJ
Delta BHC	NPW	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	NPW10.10040	Yes	NJ
Delta BHC	SCM	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	SCM09.02450	Yes	NJ
Dibenzo(a,h)anthracene	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09410	Yes	NJ
Dibenzo(a,h)anthracene	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16150	Yes	NJ
Dibenzo(a,h)anthracene	NPW	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.17580	Yes	NJ
Dibenzo(a,h)anthracene	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07630	Yes	NJ
Dibenzo(a,h)anthracene	SCM	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.09090	Yes	NJ
Dibenzo(a,h)anthracene	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18320	Yes	NJ
Dibenzo(a,h)anthracene	NPW	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.19780	Yes	NJ
Dibenzo(a,h)anthracene	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09800	Yes	NJ
Dibenzo(a,h)anthracene	SCM	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.11260	Yes	NJ
Dibenzofuran	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09440	Yes	NJ
Dibenzofuran	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16190	Yes	NJ
Dibenzofuran	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07670	Yes	NJ
Dibenzofuran	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18360	Yes	NJ
Dibenzofuran	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09840	Yes	NJ
Dibromo-3-chloropropane (1,2-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08200	Yes	NJ
Dibromo-3-chloropropane (1,2-)	NPW	Applied	SW-846 8011	Microextraction, GC, ECD	NPW10.07680	No	NJ
Dibromo-3-chloropropane (1,2-)	SCM	Applied	SW-846 8011	Microextraction, GC, ECD	SCM09.00090	No	NJ
Dibromo-3-chloropropane (1,2-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13450	Yes	NJ
Dibromo-3-chloropropane (1,2-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04930	Yes	NJ
Dibromo-3-chloropropane (1,2-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14670	Yes	NJ
Dibromo-3-chloropropane (1,2-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06150	Yes	NJ
Dibromochloromethane	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02490	Yes	NJ
Dibromochloromethane	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08210	Yes	NJ

Dibromochloromethane	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03850	No	NJ
Dibromochloromethane	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08230	No	NJ
Dibromochloromethane	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13460	Yes	NJ
Dibromochloromethane	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04940	Yes	NJ
Dibromochloromethane	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14680	Yes	NJ
Dibromochloromethane	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06160	Yes	NJ
Dibromoethane (1,2-) (EDB)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08220	Yes	NJ
Dibromoethane (1,2-) (EDB)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03860	No	NJ
Dibromoethane (1,2-) (EDB)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08240	No	NJ
Dibromoethane (1,2-) (EDB)	NPW	Applied	SW-846 8011	Microextraction, GC, ECD	NPW10.07690	No	NJ
Dibromoethane (1,2-) (EDB)	SCM	Applied	SW-846 8011	Microextraction, GC, ECD	SCM09.00100	No	NJ
Dibromoethane (1,2-) (EDB)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13470	Yes	NJ
Dibromoethane (1,2-) (EDB)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04950	Yes	NJ
Dibromoethane (1,2-) (EDB)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14690	Yes	NJ
Dibromoethane (1,2-) (EDB)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06170	Yes	NJ
Dibromomethane	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02510	Yes	NJ
Dibromomethane	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08230	Yes	NJ
Dibromomethane	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13480	Yes	NJ
Dibromomethane	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04960	Yes	NJ
Dibromomethane	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14700	Yes	NJ
Dibromomethane	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06180	Yes	NJ
Dicamba	NPW	Certified	SW-846 8151A	GC, Extraction, ECD, Capillary	NPW10.12270	Yes	NJ
Dicamba	SCM	Certified	SW-846 8151A	GC, Extraction, ECD, Capillary	SCM09.04680	Yes	NJ
Dichlorobenzene (1,2-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02530	Yes	NJ
Dichlorobenzene (1,2-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08260	Yes	NJ
Dichlorobenzene (1,2-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03870	No	NJ
Dichlorobenzene (1,2-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08250	No	NJ
Dichlorobenzene (1,2-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13510	Yes	NJ
Dichlorobenzene (1,2-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.04990	Yes	NJ
Dichlorobenzene (1,2-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14730	Yes	NJ
Dichlorobenzene (1,2-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06210	Yes	NJ
Dichlorobenzene (1,2-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16200	Yes	NJ
Dichlorobenzene (1,2-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07680	Yes	NJ
Dichlorobenzene (1,2-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18370	Yes	NJ
Dichlorobenzene (1,2-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09850	Yes	NJ
Dichlorobenzene (1,2-)	NPW	Applied	User Defined EPA 625	Extract, GC/MS	NPW11.20880	No	NJ
Dichlorobenzene (1,3-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02540	Yes	NJ
Dichlorobenzene (1,3-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08270	Yes	NJ
Dichlorobenzene (1,3-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03880	No	NJ
Dichlorobenzene (1,3-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08260	No	NJ
Dichlorobenzene (1,3-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13520	Yes	NJ
Dichlorobenzene (1,3-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05000	Yes	NJ
Dichlorobenzene (1,3-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14740	Yes	NJ
Dichlorobenzene (1,3-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06220	Yes	NJ
Dichlorobenzene (1,3-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16210	Yes	NJ
Dichlorobenzene (1,3-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07690	Yes	NJ
Dichlorobenzene (1,3-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18380	Yes	NJ
Dichlorobenzene (1,3-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09860	Yes	NJ
Dichlorobenzene (1,3-)	NPW	Applied	User Defined EPA 625	Extract, GC/MS	NPW11.20890	No	NJ
Dichlorobenzene (1,4-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02550	Yes	NJ
Dichlorobenzene (1,4-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08280	Yes	NJ
Dichlorobenzene (1,4-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03890	No	NJ
Dichlorobenzene (1,4-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08270	No	NJ
Dichlorobenzene (1,4-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13530	Yes	NJ
Dichlorobenzene (1,4-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05010	Yes	NJ
Dichlorobenzene (1,4-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14750	Yes	NJ
Dichlorobenzene (1,4-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06230	Yes	NJ
Dichlorobenzene (1,4-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16220	Yes	NJ
Dichlorobenzene (1,4-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07700	Yes	NJ
Dichlorobenzene (1,4-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18390	Yes	NJ
Dichlorobenzene (1,4-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09870	Yes	NJ
Dichlorobenzene (1,4-)	NPW	Applied	User Defined EPA 625	Extract, GC/MS	NPW11.20900	No	NJ
Dichlorobenzidine (3,3'-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09460	Yes	NJ
Dichlorobenzidine (3,3'-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16230	Yes	NJ
Dichlorobenzidine (3,3'-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07710	Yes	NJ
Dichlorobenzidine (3,3'-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18400	Yes	NJ
Dichlorobenzidine (3,3'-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09880	Yes	NJ
Dichlorobenzoic acid (3,5-)	NPW	Applied	SW-846 8151A	GC, Extraction, ECD, Capillary	NPW10.12280	No	NJ
Dichlorobenzoic acid (3,5-)	SCM	Applied	SW-846 8151A	GC, Extraction, ECD, Capillary	SCM09.04690	No	NJ
Dichlorodifluoromethane	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02560	Yes	NJ
Dichlorodifluoromethane	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03900	No	NJ
Dichlorodifluoromethane	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08280	No	NJ

Dichlorodifluoromethane	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13540	Yes	NJ
Dichlorodifluoromethane	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05020	Yes	NJ
Dichlorodifluoromethane	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14760	Yes	NJ
Dichlorodifluoromethane	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06240	Yes	NJ
Dichlorodifluoromethane	NPW	Certified	User Defined EPA 624	GC/MS, P & T, Capillary Column	NPW11.21600	Yes	NJ
Dichloroethane (1,1-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02570	Yes	NJ
Dichloroethane (1,1-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08290	Yes	NJ
Dichloroethane (1,1-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03910	No	NJ
Dichloroethane (1,1-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08290	No	NJ
Dichloroethane (1,1-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13550	Yes	NJ
Dichloroethane (1,1-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05030	Yes	NJ
Dichloroethane (1,1-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14770	Yes	NJ
Dichloroethane (1,1-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06250	Yes	NJ
Dichloroethane (1,2-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02580	Yes	NJ
Dichloroethane (1,2-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08300	Yes	NJ
Dichloroethane (1,2-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03920	No	NJ
Dichloroethane (1,2-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08300	No	NJ
Dichloroethane (1,2-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13560	Yes	NJ
Dichloroethane (1,2-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05040	Yes	NJ
Dichloroethane (1,2-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14780	Yes	NJ
Dichloroethane (1,2-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06260	Yes	NJ
Dichloroethane (1,1-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02590	Yes	NJ
Dichloroethane (1,1-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08310	Yes	NJ
Dichloroethane (1,1-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03930	No	NJ
Dichloroethane (1,1-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08310	No	NJ
Dichloroethane (1,1-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13570	Yes	NJ
Dichloroethane (1,1-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05050	Yes	NJ
Dichloroethane (1,1-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14790	Yes	NJ
Dichloroethane (1,1-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06270	Yes	NJ
Dichloroethane (cis-1,2-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02600	Yes	NJ
Dichloroethane (cis-1,2-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08320	Yes	NJ
Dichloroethane (cis-1,2-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03940	No	NJ
Dichloroethane (cis-1,2-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08320	No	NJ
Dichloroethane (cis-1,2-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13580	Yes	NJ
Dichloroethane (cis-1,2-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05060	Yes	NJ
Dichloroethane (cis-1,2-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14800	Yes	NJ
Dichloroethane (cis-1,2-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06280	Yes	NJ
Dichloroethane (trans-1,2-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02610	Yes	NJ
Dichloroethane (trans-1,2-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08330	Yes	NJ
Dichloroethane (trans-1,2-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03950	No	NJ
Dichloroethane (trans-1,2-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08330	No	NJ
Dichloroethane (trans-1,2-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13590	Yes	NJ
Dichloroethane (trans-1,2-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05070	Yes	NJ
Dichloroethane (trans-1,2-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14810	Yes	NJ
Dichloroethane (trans-1,2-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06290	Yes	NJ
Dichlorophenol (2,4-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09470	Yes	NJ
Dichlorophenol (2,4-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16240	Yes	NJ
Dichlorophenol (2,4-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07720	Yes	NJ
Dichlorophenol (2,4-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18410	Yes	NJ
Dichlorophenol (2,4-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09890	Yes	NJ
Dichlorophenol (2,6-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09480	Yes	NJ
Dichlorophenol (2,6-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16250	Yes	NJ
Dichlorophenol (2,6-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07730	Yes	NJ
Dichlorophenol (2,6-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18420	Yes	NJ
Dichlorophenol (2,6-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09900	Yes	NJ
Dichloropropane (1,2-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02620	Yes	NJ
Dichloropropane (1,2-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08340	Yes	NJ
Dichloropropane (1,2-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03970	No	NJ
Dichloropropane (1,2-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08340	No	NJ
Dichloropropane (1,2-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13600	Yes	NJ
Dichloropropane (1,2-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05080	Yes	NJ
Dichloropropane (1,2-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14820	Yes	NJ
Dichloropropane (1,2-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06300	Yes	NJ
Dichloropropane (1,3-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02630	Yes	NJ
Dichloropropane (1,3-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08350	Yes	NJ
Dichloropropane (1,3-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13610	Yes	NJ
Dichloropropane (1,3-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05090	Yes	NJ
Dichloropropane (1,3-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14830	Yes	NJ
Dichloropropane (1,3-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06310	Yes	NJ
Dichloropropane (2,2-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02640	Yes	NJ
Dichloropropane (2,2-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08360	Yes	NJ
Dichloropropane (2,2-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13620	Yes	NJ

Dichloropropane (2,2-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05100	Yes	NJ
Dichloropropane (2,2-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14840	Yes	NJ
Dichloropropane (2,2-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06320	Yes	NJ
Dichloropropene (1,1-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02660	Yes	NJ
Dichloropropene (1,1-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08370	Yes	NJ
Dichloropropene (1,1-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13630	Yes	NJ
Dichloropropene (1,1-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05110	Yes	NJ
Dichloropropene (1,1-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14850	Yes	NJ
Dichloropropene (1,1-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06330	Yes	NJ
Dichloropropene (cis-1,3-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02670	Yes	NJ
Dichloropropene (cis-1,3-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08380	Yes	NJ
Dichloropropene (cis-1,3-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03980	No	NJ
Dichloropropene (cis-1,3-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08350	No	NJ
Dichloropropene (cis-1,3-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13640	Yes	NJ
Dichloropropene (cis-1,3-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05120	Yes	NJ
Dichloropropene (cis-1,3-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14860	Yes	NJ
Dichloropropene (cis-1,3-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06340	Yes	NJ
Dichloropropene (trans-1,3-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02680	Yes	NJ
Dichloropropene (trans-1,3-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08390	Yes	NJ
Dichloropropene (trans-1,3-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.03990	No	NJ
Dichloropropene (trans-1,3-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08360	No	NJ
Dichloropropene (trans-1,3-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13650	Yes	NJ
Dichloropropene (trans-1,3-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05130	Yes	NJ
Dichloropropene (trans-1,3-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14870	Yes	NJ
Dichloropropene (trans-1,3-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06350	Yes	NJ
Dichlorotetrafluoroethane (1,2-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08370	No	NJ
Dichlorprop	NPW	Certified	SW-846 8151A	GC, Extraction, ECD, Capillary	NPW10.12290	Yes	NJ
Dichlorprop	SCM	Certified	SW-846 8151A	GC, Extraction, ECD, Capillary	SCM09.04700	Yes	NJ
Dieldrin	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03470	Yes	NJ
Dieldrin	NPW	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	NPW10.09650	Yes	NJ
Dieldrin	SCM	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	SCM09.02060	Yes	NJ
Dieldrin	NPW	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	NPW10.10050	Yes	NJ
Dieldrin	SCM	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	SCM09.02460	Yes	NJ
Diesel range organic	NPW	Certified	SW-846 8015B	Extraction, GC, FID	NPW10.07770	Yes	NJ
Diesel range organic	SCM	Certified	SW-846 8015B	Extraction, GC, FID	SCM09.00180	Yes	NJ
Diesel range organic	NPW	Certified	SW-846 8015D	Extraction, GC, FID	NPW10.08360	Yes	NJ
Diesel range organic	SCM	Certified	SW-846 8015D	Extraction, GC, FID	SCM09.00770	Yes	NJ
Diethylene glycol	NPW	Applied	SW-846 8015D	GC, Direct Injection, FID	NPW10.08370	Yes	NJ
Diethylene glycol	SCM	Applied	SW-846 8015D	GC, Direct Injection, FID	SCM09.00780	No	NJ
Diethyl ether (Ethyl ether)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08400	Yes	NJ
Diethyl ether (Ethyl ether)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13660	Yes	NJ
Diethyl ether (Ethyl ether)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05140	Yes	NJ
Diethyl ether (Ethyl ether)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14880	Yes	NJ
Diethyl ether (Ethyl ether)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06360	Yes	NJ
Diethyl phthalate	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09490	Yes	NJ
Diethyl phthalate	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16270	Yes	NJ
Diethyl phthalate	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07750	Yes	NJ
Diethyl phthalate	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18440	Yes	NJ
Diethyl phthalate	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09920	Yes	NJ
Diisopropyl Ether [DIPE]	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08410	Yes	NJ
Diisopropyl Ether [DIPE]	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13670	Yes	NJ
Diisopropyl Ether [DIPE]	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05150	Yes	NJ
Diisopropyl Ether [DIPE]	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14890	Yes	NJ
Diisopropyl Ether [DIPE]	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06370	Yes	NJ
Dimethylphenol (2,4-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09550	Yes	NJ
Dimethylphenol (2,4-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16370	Yes	NJ
Dimethylphenol (2,4-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07850	Yes	NJ
Dimethylphenol (2,4-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18540	Yes	NJ
Dimethylphenol (2,4-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10020	Yes	NJ
Dimethyl phthalate	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09520	Yes	NJ
Dimethyl phthalate	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16300	Yes	NJ
Dimethyl phthalate	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07780	Yes	NJ
Dimethyl phthalate	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18470	Yes	NJ
Dimethyl phthalate	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.09950	Yes	NJ
Di-n-butyl phthalate	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09560	Yes	NJ
Di-n-butyl phthalate	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16380	Yes	NJ
Di-n-butyl phthalate	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07860	Yes	NJ
Di-n-butyl phthalate	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18550	Yes	NJ
Di-n-butyl phthalate	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10030	Yes	NJ
Dinitrophenol (2,4-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09580	Yes	NJ
Dinitrophenol (2,4-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16410	Yes	NJ
Dinitrophenol (2,4-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07890	Yes	NJ

Dinitrophenol (2,4-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18580	Yes	NJ
Dinitrophenol (2,4-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10060	Yes	NJ
Dinitrophenol (2-methyl-4,6-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09590	Yes	NJ
Dinitrophenol (2-methyl-4,6-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16420	Yes	NJ
Dinitrophenol (2-methyl-4,6-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07900	Yes	NJ
Dinitrophenol (2-methyl-4,6-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18590	Yes	NJ
Dinitrophenol (2-methyl-4,6-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10070	Yes	NJ
Dinitrotoluene (2,4-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09600	Yes	NJ
Dinitrotoluene (2,4-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16430	Yes	NJ
Dinitrotoluene (2,4-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07910	Yes	NJ
Dinitrotoluene (2,4-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18600	Yes	NJ
Dinitrotoluene (2,4-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10080	Yes	NJ
Dinitrotoluene (2,6-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09610	Yes	NJ
Dinitrotoluene (2,6-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16440	Yes	NJ
Dinitrotoluene (2,6-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07920	Yes	NJ
Dinitrotoluene (2,6-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18610	Yes	NJ
Dinitrotoluene (2,6-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10090	Yes	NJ
Di-n-octyl phthalate	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09620	Yes	NJ
Di-n-octyl phthalate	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16450	Yes	NJ
Di-n-octyl phthalate	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07930	Yes	NJ
Di-n-octyl phthalate	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18620	Yes	NJ
Di-n-octyl phthalate	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10100	Yes	NJ
Dinoseb	NPW	Certified	SW-846 8151A	GC, Extraction, ECD, Capillary	NPW10.12300	Yes	NJ
Dinoseb	SCM	Certified	SW-846 8151A	GC, Extraction, ECD, Capillary	SCM09.04710	Yes	NJ
Dioxane (1,4-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04070	No	NJ
Dioxane (1,4-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08380	No	NJ
Dioxane (1,4-)	NPW	Certified	Other NJ Modified 8270	GC/MS, Extract, Full Scan / Isotope Dilution	NPW11.10690	Yes	NJ
Dioxane (1,4-)	SCM	Applied	Other NJ Modified 8270	GC/MS, Extract, Full Scan / Isotope Dilution	SCM10.00030	No	NJ
Diphenylamine	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09630	Yes	NJ
Diphenylamine	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16470	Yes	NJ
Diphenylamine	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07950	Yes	NJ
Diphenylamine	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18640	Yes	NJ
Diphenylamine	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10120	Yes	NJ
Diphenylhydrazine (1,2-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09640	Yes	NJ
Diphenylhydrazine (1,2-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16480	Yes	NJ
Diphenylhydrazine (1,2-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.07960	Yes	NJ
Diphenylhydrazine (1,2-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18650	Yes	NJ
Diphenylhydrazine (1,2-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10130	Yes	NJ
Endosulfan I	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03480	Yes	NJ
Endosulfan I	NPW	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	NPW10.09660	Yes	NJ
Endosulfan I	SCM	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	SCM09.02070	Yes	NJ
Endosulfan I	NPW	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	NPW10.10060	Yes	NJ
Endosulfan I	SCM	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	SCM09.02470	Yes	NJ
Endosulfan II	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03490	Yes	NJ
Endosulfan II	NPW	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	NPW10.09670	Yes	NJ
Endosulfan II	SCM	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	SCM09.02080	Yes	NJ
Endosulfan II	NPW	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	NPW10.10070	Yes	NJ
Endosulfan II	SCM	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	SCM09.02480	Yes	NJ
Endosulfan sulfate	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03500	Yes	NJ
Endosulfan sulfate	NPW	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	NPW10.09680	Yes	NJ
Endosulfan sulfate	SCM	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	SCM09.02090	Yes	NJ
Endosulfan sulfate	NPW	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	NPW10.10080	Yes	NJ
Endosulfan sulfate	SCM	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	SCM09.02490	Yes	NJ
Endrin	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03510	Yes	NJ
Endrin	NPW	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	NPW10.09690	Yes	NJ
Endrin	SCM	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	SCM09.02100	Yes	NJ
Endrin	NPW	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	NPW10.10090	Yes	NJ
Endrin	SCM	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	SCM09.02500	Yes	NJ
Endrin aldehyde	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03520	Yes	NJ
Endrin aldehyde	NPW	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	NPW10.09700	Yes	NJ
Endrin aldehyde	SCM	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	SCM09.02110	Yes	NJ
Endrin aldehyde	NPW	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	NPW10.10100	Yes	NJ
Endrin aldehyde	SCM	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	SCM09.02510	Yes	NJ
Endrin ketone	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03530	Yes	NJ
Endrin ketone	NPW	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	NPW10.09710	Yes	NJ
Endrin ketone	SCM	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	SCM09.02120	Yes	NJ
Endrin ketone	NPW	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	NPW10.10110	Yes	NJ
Endrin ketone	SCM	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	SCM09.02520	Yes	NJ
Ethanol	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08430	Yes	NJ
Ethanol	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04100	No	NJ
Ethanol	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08390	No	NJ
Ethanol	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13690	Yes	NJ

Ethanol	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05170	Yes	NJ
Ethanol	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14910	Yes	NJ
Ethanol	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06390	Yes	NJ
Ethyl acetate	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08440	Yes	NJ
Ethyl acetate	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13700	Yes	NJ
Ethyl acetate	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05180	Yes	NJ
Ethyl acetate	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14920	Yes	NJ
Ethyl acetate	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06400	Yes	NJ
Ethylbenzene	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02710	Yes	NJ
Ethylbenzene	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08460	Yes	NJ
Ethylbenzene	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04140	No	NJ
Ethylbenzene	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08400	No	NJ
Ethylbenzene	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13720	Yes	NJ
Ethylbenzene	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05200	Yes	NJ
Ethylbenzene	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14940	Yes	NJ
Ethylbenzene	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06420	Yes	NJ
Ethylene glycol	NPW	Certified	SW-846 8015D	GC, Direct Injection, FID	NPW10.08410	Yes	NJ
Ethylene glycol	SCM	Certified	SW-846 8015D	GC, Direct Injection, FID	SCM09.00820	Yes	NJ
Ethyl-tert-butyl Ether [ETBE]	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08470	Yes	NJ
Ethyl-tert-butyl Ether [ETBE]	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13730	Yes	NJ
Ethyl-tert-butyl Ether [ETBE]	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05210	Yes	NJ
Ethyl-tert-butyl Ether [ETBE]	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14950	Yes	NJ
Ethyl-tert-butyl Ether [ETBE]	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06430	Yes	NJ
Ethyltoluene (4-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04170	No	NJ
Ethyltoluene (4-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08410	No	NJ
Extractable organic halides (EOX)	NPW	Dropped	SW-846 9023	Extraction	NPW03.01790	No	NJ
Extractable organic halides (EOX)	SCM	Dropped	SW-846 9023	Extraction	SCM03.00420	No	NJ
Extractable Petroleum Hydrocarbons	SCM	Certified	Other NJDEP EPH 10/08, Rev. 3	Extraction, GC, FID	SCM09.00050	Yes	NJ
Fluoranthene	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09690	Yes	NJ
Fluoranthene	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16580	Yes	NJ
Fluoranthene	NPW	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.17600	Yes	NJ
Fluoranthene	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08060	Yes	NJ
Fluoranthene	SCM	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.09110	Yes	NJ
Fluoranthene	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18750	Yes	NJ
Fluoranthene	NPW	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.19800	Yes	NJ
Fluoranthene	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10230	Yes	NJ
Fluoranthene	SCM	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.11280	Yes	NJ
Fluorene	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09700	Yes	NJ
Fluorene	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16590	Yes	NJ
Fluorene	NPW	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.17610	Yes	NJ
Fluorene	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08070	Yes	NJ
Fluorene	SCM	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.09120	Yes	NJ
Fluorene	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18760	Yes	NJ
Fluorene	NPW	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.19810	Yes	NJ
Fluorene	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10240	Yes	NJ
Fluorene	SCM	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.11290	Yes	NJ
Fluoride	DW	Dropped	EPA 300.0	Ion Chromatography	DW03.00860	No	NJ
Fluoride	NPW	Applied	EPA 300.0	Ion Chromatography	NPW03.01930	No	NJ
Fluoride	NPW	Applied	SW-846 9056A	Ion Chromatography	NPW03.01980	No	NJ
Fluoride	SCM	Applied	SW-846 9056A	Ion Chromatography	SCM03.00470	No	NJ
Free liquid	SCM	Dropped	SW-846 9095	Flow-Through Paint Filter, Observation	SCM02.00130	Yes	NJ
Free liquid	SCM	Certified	SW-846 9095B	Flow-Through Paint Filter, Observation	SCM02.00140	Yes	NJ
Gasoline range organic	NPW	Dropped	SW-846 8015B	GC P&T, FID	NPW10.07820	Yes	NJ
Gasoline range organic	SCM	Dropped	SW-846 8015B	GC P&T, FID	SCM09.00230	Yes	NJ
Gasoline range organic	NPW	Certified	SW-846 8015D	GC P&T, FID	NPW10.08440	Yes	NJ
Gasoline range organic	SCM	Certified	SW-846 8015D	GC P&T, FID	SCM09.00850	Yes	NJ
Hardness - total as CaCO3	NPW	Certified	EPA 200.7	Ca + Mg Carbonates, ICP	NPW08.01890	Yes	NJ
Heptachlor	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03550	Yes	NJ
Heptachlor	NPW	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	NPW10.09730	Yes	NJ
Heptachlor	SCM	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	SCM09.02140	Yes	NJ
Heptachlor	NPW	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	NPW10.10130	Yes	NJ
Heptachlor	SCM	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	SCM09.02540	Yes	NJ
Heptachlor epoxide	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03560	Yes	NJ
Heptachlor epoxide	NPW	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	NPW10.09740	Yes	NJ
Heptachlor epoxide	SCM	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	SCM09.02150	Yes	NJ
Heptachlor epoxide	NPW	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	NPW10.10140	Yes	NJ
Heptachlor epoxide	SCM	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	SCM09.02550	Yes	NJ
Heptane (n-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04200	No	NJ
Heptane (n-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08420	No	NJ
Heptane (n-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13740	No	NJ
Heptane (n-)	SCM	Dropped	SW-846 8260B	GC/MS, P&T, or Direct Injection, Capillary	SCM10.05220	No	NJ
Heterotrophic bacteria	DW	Dropped	Other Idexx Laboratories	Simplate	DW01.00080	No	NJ

Hexachlorobenzene	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09710	Yes	NJ
Hexachlorobenzene	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16620	Yes	NJ
Hexachlorobenzene	NPW	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.17620	Yes	NJ
Hexachlorobenzene	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08100	Yes	NJ
Hexachlorobenzene	SCM	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.09130	Yes	NJ
Hexachlorobenzene	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18790	Yes	NJ
Hexachlorobenzene	NPW	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.19820	Yes	NJ
Hexachlorobenzene	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10270	Yes	NJ
Hexachlorobenzene	SCM	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.11300	Yes	NJ
Hexachlorobutadiene (1,3-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02720	Yes	NJ
Hexachlorobutadiene (1,3-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08490	Yes	NJ
Hexachlorobutadiene (1,3-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09720	Yes	NJ
Hexachlorobutadiene (1,3-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04210	No	NJ
Hexachlorobutadiene (1,3-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08430	No	NJ
Hexachlorobutadiene (1,3-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13750	Yes	NJ
Hexachlorobutadiene (1,3-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05230	Yes	NJ
Hexachlorobutadiene (1,3-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14970	Yes	NJ
Hexachlorobutadiene (1,3-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06450	Yes	NJ
Hexachlorobutadiene (1,3-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16630	Yes	NJ
Hexachlorobutadiene (1,3-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08110	Yes	NJ
Hexachlorobutadiene (1,3-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18800	Yes	NJ
Hexachlorobutadiene (1,3-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10280	Yes	NJ
Hexachlorocyclopentadiene	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09730	Yes	NJ
Hexachlorocyclopentadiene	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16640	Yes	NJ
Hexachlorocyclopentadiene	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08120	Yes	NJ
Hexachlorocyclopentadiene	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18810	Yes	NJ
Hexachlorocyclopentadiene	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10290	Yes	NJ
Hexachloroethane	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09740	Yes	NJ
Hexachloroethane	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13760	Yes	NJ
Hexachloroethane	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05240	Yes	NJ
Hexachloroethane	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.14980	Yes	NJ
Hexachloroethane	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06460	Yes	NJ
Hexachloroethane	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16650	Yes	NJ
Hexachloroethane	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08130	Yes	NJ
Hexachloroethane	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18820	Yes	NJ
Hexachloroethane	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10300	Yes	NJ
Hexane (n-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04230	No	NJ
Hexane (n-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08440	No	NJ
Hexane (n-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13770	No	NJ
Hexane (n-)	SCM	Dropped	SW-846 8260B	GC/MS, P&T, or Direct Injection, Capillary	SCM10.05250	No	NJ
Hexanone (2-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08510	Yes	NJ
Hexanone (2-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13780	Yes	NJ
Hexanone (2-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05260	Yes	NJ
Hexanone (2-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15000	Yes	NJ
Hexanone (2-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06480	Yes	NJ
Ignitability	NPW	Certified	SW-846 1010A	Pensky Martens	NPW03.02180	Yes	NJ
Ignitability	SCM	Certified	SW-846 1010A	Pensky Martens	SCM02.00180	Yes	NJ
Ignitability of solids	SCM	Certified	SW-846 1030	Burn Rate	SCM02.00230	Yes	NJ
Indeno(1,2,3-cd)pyrene	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09780	Yes	NJ
Indeno(1,2,3-cd)pyrene	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16700	Yes	NJ
Indeno(1,2,3-cd)pyrene	NPW	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.17640	Yes	NJ
Indeno(1,2,3-cd)pyrene	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08180	Yes	NJ
Indeno(1,2,3-cd)pyrene	SCM	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.09150	Yes	NJ
Indeno(1,2,3-cd)pyrene	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18870	Yes	NJ
Indeno(1,2,3-cd)pyrene	NPW	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.19840	Yes	NJ
Indeno(1,2,3-cd)pyrene	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10350	Yes	NJ
Indeno(1,2,3-cd)pyrene	SCM	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.11320	Yes	NJ
Iron	DW	Dropped	EPA 200.5	ICP - Axially Viewed	DW07.00360	No	NJ
Iron	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.02040	Yes	NJ
Iron	NPW	Certified	SW-846 6010B	ICP	NPW08.01990	Yes	NJ
Iron	SCM	Certified	SW-846 6010B	ICP	SCM07.00600	Yes	NJ
Iron	NPW	Certified	SW-846 6010C	ICP	NPW08.02000	Yes	NJ
Iron	SCM	Certified	SW-846 6010C	ICP	SCM07.00610	Yes	NJ
Iron	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.02070	No	NJ
Iron	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.00630	No	NJ
Isophorone	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09790	Yes	NJ
Isophorone	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16720	Yes	NJ
Isophorone	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08200	Yes	NJ
Isophorone	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18890	Yes	NJ
Isophorone	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10370	Yes	NJ
Isopropanol	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08540	Yes	NJ
Isopropanol	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04260	No	NJ

Isopropanol	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08450	No	NJ
Isopropyl acetate	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08550	Yes	NJ
Isopropyl acetate	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13810	Yes	NJ
Isopropyl acetate	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05290	Yes	NJ
Isopropyl acetate	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15030	Yes	NJ
Isopropyl acetate	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06510	Yes	NJ
Isopropylbenzene	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02760	Yes	NJ
Isopropylbenzene	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08570	Yes	NJ
Isopropylbenzene	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13820	Yes	NJ
Isopropylbenzene	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05300	Yes	NJ
Isopropylbenzene	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15040	Yes	NJ
Isopropylbenzene	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06520	Yes	NJ
Isopropyl ether	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08560	Yes	NJ
Isopropyltoluene (4-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02770	Yes	NJ
Isopropyltoluene (4-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08580	Yes	NJ
Isopropyltoluene (4-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13830	Yes	NJ
Isopropyltoluene (4-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05310	Yes	NJ
Isopropyltoluene (4-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15050	Yes	NJ
Isopropyltoluene (4-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06530	Yes	NJ
Lead	DW	Dropped	EPA 200.5	ICP - Axially Viewed	DW07.00370	No	NJ
Lead	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.02210	Yes	NJ
Lead	NPW	Certified	SW-846 6010B	ICP	NPW08.02160	Yes	NJ
Lead	SCM	Certified	SW-846 6010B	ICP	SCM07.00650	Yes	NJ
Lead	NPW	Certified	SW-846 6010C	ICP	NPW08.02170	Yes	NJ
Lead	SCM	Certified	SW-846 6010C	ICP	SCM07.00660	Yes	NJ
Lead	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.02240	No	NJ
Lead	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.00690	No	NJ
Lindane (gamma BHC)	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03570	Yes	NJ
Lindane (gamma BHC)	NPW	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	NPW10.09770	Yes	NJ
Lindane (gamma BHC)	SCM	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	SCM09.02180	Yes	NJ
Lindane (gamma BHC)	NPW	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	NPW10.10170	Yes	NJ
Lindane (gamma BHC)	SCM	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	SCM09.02580	Yes	NJ
Magnesium	DW	Dropped	EPA 200.5	ICP - Axially Viewed	DW07.00420	No	NJ
Magnesium	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.02420	Yes	NJ
Magnesium	NPW	Certified	SW-846 6010B	ICP	NPW08.02370	Yes	NJ
Magnesium	SCM	Certified	SW-846 6010B	ICP	SCM07.00730	Yes	NJ
Magnesium	NPW	Certified	SW-846 6010C	ICP	NPW08.02380	Yes	NJ
Magnesium	SCM	Certified	SW-846 6010C	ICP	SCM07.00740	Yes	NJ
Magnesium	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.02450	No	NJ
Magnesium	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.00760	No	NJ
Manganese	DW	Dropped	EPA 200.5	ICP - Axially Viewed	DW07.00450	No	NJ
Manganese	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.02580	Yes	NJ
Manganese	NPW	Certified	SW-846 6010B	ICP	NPW08.02530	Yes	NJ
Manganese	SCM	Certified	SW-846 6010B	ICP	SCM07.00780	Yes	NJ
Manganese	NPW	Certified	SW-846 6010C	ICP	NPW08.02540	Yes	NJ
Manganese	SCM	Certified	SW-846 6010C	ICP	SCM07.00790	Yes	NJ
Manganese	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.02810	No	NJ
Manganese	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.00820	No	NJ
Mercury	DW	Dropped	EPA 245.1	Manual Cold Vapor	DW06.00480	No	NJ
Mercury	NPW	Certified	EPA 245.1	Manual Cold Vapor	NPW07.02160	Yes	NJ
Mercury - liquid waste	NPW	Certified	SW-846 7470A	AA, Manual Cold Vapor	NPW07.02190	Yes	NJ
Mercury - solid waste	SCM	Certified	SW-846 7471A	AA, Manual Cold Vapor	SCM06.00650	Yes	NJ
Mercury - solid waste	SCM	Applied	SW-846 7471B	AA, Manual Cold Vapor	SCM06.00660	Yes	NJ
Metals	SCM	Applied	ASTM D3987-85	Shake, Extraction with Water	SCM05.00110	No	NJ
Metals	NPW	Certified	SW-846 1311	TLCLP, Toxicity Procedure, Shaker	NPW06.00020	Yes	NJ
Metals	SCM	Certified	SW-846 1311	TLCLP, Toxicity Procedure, Shaker	SCM05.00140	Yes	NJ
Metals	SCM	Applied	SW-846 3031	Acid Digestion For AA or ICP, Oil	SCM05.00001	No	NJ
Metals	NPW	Applied	SW-846 3040A	Dissolution of Oil, Grease & Wax	SCM05.00030	No	NJ
Metals	SCM	Certified	SW-846 3050B	Acid Digestion, Soil Sediment & Sludge	SCM05.00010	Yes	NJ
Metals	SCM	Certified	SW-846 3060A	Chromium VI Digestion	SCM05.00020	Yes	NJ
Metals - oily waste	NPW	Applied	SW-846 1330A	Extraction	SCM05.00060	No	NJ
Metals, Total	NPW	Certified	SW-846 3010A	Acid Digestion/Aqueous Samples, ICP, FLAA	NPW06.00060	Yes	NJ
Metals, Total Rec and Dissolved	NPW	Certified	SW-846 3005A	Acid Digestion/Surface and Groundwater, ICP, FLAA	NPW06.00050	Yes	NJ
Methoxychlor	NPW	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	NPW10.09780	Yes	NJ
Methoxychlor	SCM	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	SCM09.02190	Yes	NJ
Methoxychlor	NPW	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	NPW10.10180	Yes	NJ
Methoxychlor	SCM	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	SCM09.02590	Yes	NJ
Methoxychlor	NPW	Certified	User Defined EPA 608	Extract/GC (ECD)	NPW10.14320	Yes	NJ
Methyl acetate	NPW	Certified	EPA 624	GC/MS, P&T, Capillary Column	NPW11.08600	Yes	NJ
Methyl acetate	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13850	Yes	NJ
Methyl acetate	SCM	Dropped	SW-846 8260B	GC/MS, P&T, or Direct Injection, Capillary	SCM10.05330	Yes	NJ
Methyl acetate	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15070	Yes	NJ

Methyl acetate	SCM	Certified	SW-846 8260C	GC/MS, P&T, or Direct Injection, Capillary	SCM10.06550	Yes	NJ
Methyl alcohol (Methanol)	NPW	Certified	SW-846 8015D	GC, Direct Injection or P & T, FID	NPW10.08480	Yes	NJ
Methyl alcohol (Methanol)	SCM	Certified	SW-846 8015D	GC, Direct Injection or P & T, FID	SCM09.00890	Yes	NJ
Methylcyclohexane	NPW	Certified	EPA 624	GC/MS, P&T, Capillary Column	NPW11.08660	Yes	NJ
Methylcyclohexane	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13900	Yes	NJ
Methylcyclohexane	SCM	Dropped	SW-846 8260B	GC/MS, P&T, or Direct Injection, Capillary	SCM10.05380	Yes	NJ
Methylcyclohexane	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15120	Yes	NJ
Methylcyclohexane	SCM	Certified	SW-846 8260C	GC/MS, P&T, or Direct Injection, Capillary	SCM10.06600	Yes	NJ
Methylene chloride (Dichloromethane)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02830	Yes	NJ
Methylene chloride (Dichloromethane)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08670	Yes	NJ
Methylene chloride (Dichloromethane)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04350	No	NJ
Methylene chloride (Dichloromethane)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08500	No	NJ
Methylene chloride (Dichloromethane)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13910	Yes	NJ
Methylene chloride (Dichloromethane)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05390	Yes	NJ
Methylene chloride (Dichloromethane)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15130	Yes	NJ
Methylene chloride (Dichloromethane)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06610	Yes	NJ
Methyl ethyl ketone (MEK)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04290	No	NJ
Methyl ethyl ketone (MEK)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08460	No	NJ
Methyl iodide	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08620	Yes	NJ
Methyl iodide	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13870	Yes	NJ
Methyl iodide	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05350	Yes	NJ
Methyl iodide	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15090	Yes	NJ
Methyl iodide	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06570	Yes	NJ
Methyl isobutyl ketone (MIBK)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08630	Yes	NJ
Methyl isobutyl ketone (MIBK)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04310	No	NJ
Methyl isobutyl ketone (MIBK)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08470	No	NJ
Methyl methacrylate	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04330	No	NJ
Methyl methacrylate	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08480	No	NJ
Methylnaphthalene (1-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16830	Yes	NJ
Methylnaphthalene (1-)	NPW	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.17650	Yes	NJ
Methylnaphthalene (1-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08310	Yes	NJ
Methylnaphthalene (1-)	SCM	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.09160	Yes	NJ
Methylnaphthalene (1-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19000	Yes	NJ
Methylnaphthalene (1-)	NPW	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.19850	Yes	NJ
Methylnaphthalene (1-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10480	Yes	NJ
Methylnaphthalene (1-)	SCM	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.11330	Yes	NJ
Methylnaphthalene (2-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09880	Yes	NJ
Methylnaphthalene (2-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16840	Yes	NJ
Methylnaphthalene (2-)	NPW	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.17660	Yes	NJ
Methylnaphthalene (2-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08320	Yes	NJ
Methylnaphthalene (2-)	SCM	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.09170	Yes	NJ
Methylnaphthalene (2-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19010	Yes	NJ
Methylnaphthalene (2-)	NPW	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.19860	Yes	NJ
Methylnaphthalene (2-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10490	Yes	NJ
Methylnaphthalene (2-)	SCM	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.11340	Yes	NJ
Methylphenol (2-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09900	Yes	NJ
Methylphenol (2-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16850	Yes	NJ
Methylphenol (2-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08330	Yes	NJ
Methylphenol (2-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19020	Yes	NJ
Methylphenol (2-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10500	Yes	NJ
Methylphenol (3-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09910	Yes	NJ
Methylphenol (3-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16860	Yes	NJ
Methylphenol (3-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08340	Yes	NJ
Methylphenol (3-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19030	Yes	NJ
Methylphenol (3-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10510	Yes	NJ
Methylphenol (4-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09920	Yes	NJ
Methylphenol (4-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16870	Yes	NJ
Methylphenol (4-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08350	Yes	NJ
Methylphenol (4-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19040	Yes	NJ
Methylphenol (4-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10520	Yes	NJ
Methyl phenol (4-chloro-3-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09860	Yes	NJ
Methyl phenol (4-chloro-3-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16810	Yes	NJ
Methyl phenol (4-chloro-3-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08290	Yes	NJ
Methyl phenol (4-chloro-3-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.18980	Yes	NJ
Methyl phenol (4-chloro-3-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10460	Yes	NJ
Methyl tert-butyl ether	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02820	Yes	NJ
Methyl tert-butyl ether	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08650	Yes	NJ
Methyl tert-butyl ether	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04340	No	NJ
Methyl tert-butyl ether	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08490	No	NJ
Methyl tert-butyl ether	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13890	Yes	NJ
Methyl tert-butyl ether	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05370	Yes	NJ
Methyl tert-butyl ether	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15110	Yes	NJ

Methyl tert-butyl ether	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06590	Yes	NJ
Molybdenum	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.02750	Yes	NJ
Molybdenum	NPW	Certified	SW-846 6010B	ICP	NPW08.02710	Yes	NJ
Molybdenum	SCM	Certified	SW-846 6010B	ICP	SCM07.00840	Yes	NJ
Molybdenum	NPW	Certified	SW-846 6010C	ICP	NPW08.02720	Yes	NJ
Molybdenum	SCM	Certified	SW-846 6010C	ICP	SCM07.00850	Yes	NJ
Molybdenum	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.02780	No	NJ
Molybdenum	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.00880	No	NJ
Naphthalene	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02840	Yes	NJ
Naphthalene	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09930	Yes	NJ
Naphthalene	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04380	No	NJ
Naphthalene	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08510	No	NJ
Naphthalene	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13940	Yes	NJ
Naphthalene	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05420	Yes	NJ
Naphthalene	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15160	Yes	NJ
Naphthalene	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06640	Yes	NJ
Naphthalene	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16880	Yes	NJ
Naphthalene	NPW	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.17670	Yes	NJ
Naphthalene	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08360	Yes	NJ
Naphthalene	SCM	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.09180	Yes	NJ
Naphthalene	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19050	Yes	NJ
Naphthalene	NPW	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.19870	Yes	NJ
Naphthalene	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10530	Yes	NJ
Naphthalene	SCM	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.11350	Yes	NJ
Naphthalene	NPW	Certified	User Defined EPA 624	GC/MS, P & T, Capillary Column	NPW11.21850	Yes	NJ
Nickel	DW	Dropped	EPA 200.5	ICP - Axially Viewed	DW07.00520	No	NJ
Nickel	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.02910	Yes	NJ
Nickel	NPW	Certified	SW-846 6010B	ICP	NPW08.02860	Yes	NJ
Nickel	SCM	Certified	SW-846 6010B	ICP	SCM07.00900	Yes	NJ
Nickel	NPW	Certified	SW-846 6010C	ICP	NPW08.02870	Yes	NJ
Nickel	SCM	Certified	SW-846 6010C	ICP	SCM07.00910	Yes	NJ
Nickel	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.02940	No	NJ
Nickel	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.00940	No	NJ
Nitrate	DW	Dropped	EPA 300.0	Ion Chromatography	DW03.01070	No	NJ
Nitrate	NPW	Applied	EPA 300.0	Ion Chromatography	NPW03.02580	No	NJ
Nitrate	NPW	Applied	SW-846 9056A	Ion Chromatography	NPW03.02640	No	NJ
Nitrate	SCM	Applied	SW-846 9056A	Ion Chromatography	SCM03.00680	No	NJ
Nitrate - nitrite	NPW	Applied	EPA 300.0	Ion Chromatography	NPW03.02850	No	NJ
Nitrite	NPW	Applied	EPA 300.0	Ion Chromatography	NPW03.03080	No	NJ
Nitrite	NPW	Applied	SW-846 9056A	Ion Chromatography	NPW03.03140	No	NJ
Nitrite	SCM	Applied	SW-846 9056A	Ion Chromatography	SCM03.00780	No	NJ
Nitroaniline (2-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09970	Yes	NJ
Nitroaniline (2-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16920	Yes	NJ
Nitroaniline (2-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08400	Yes	NJ
Nitroaniline (2-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19090	Yes	NJ
Nitroaniline (2-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10570	Yes	NJ
Nitroaniline (3-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09980	Yes	NJ
Nitroaniline (3-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16930	Yes	NJ
Nitroaniline (3-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08410	Yes	NJ
Nitroaniline (3-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19100	Yes	NJ
Nitroaniline (3-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10580	Yes	NJ
Nitroaniline (4-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.09990	Yes	NJ
Nitroaniline (4-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16940	Yes	NJ
Nitroaniline (4-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08420	Yes	NJ
Nitroaniline (4-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19110	Yes	NJ
Nitroaniline (4-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10590	Yes	NJ
Nitrobenzene	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.10000	Yes	NJ
Nitrobenzene	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13950	Yes	NJ
Nitrobenzene	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05430	Yes	NJ
Nitrobenzene	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15170	Yes	NJ
Nitrobenzene	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06650	Yes	NJ
Nitrobenzene	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16950	Yes	NJ
Nitrobenzene	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08430	Yes	NJ
Nitrobenzene	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19120	Yes	NJ
Nitrobenzene	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10600	Yes	NJ
Nitrophenol (2-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.10010	Yes	NJ
Nitrophenol (2-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16970	Yes	NJ
Nitrophenol (2-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08450	Yes	NJ
Nitrophenol (2-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19140	Yes	NJ
Nitrophenol (2-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10620	Yes	NJ
Nitrophenol (4-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.10020	Yes	NJ
Nitrophenol (4-)	NPW	Applied	SW-846 8151A	GC, Extraction, ECD, Capillary	NPW10.12340	No	NJ

Nitrophenol (4-)	SCM	Applied	SW-846 8151A	GC, Extraction, ECD, Capillary	SCM09.04750	No	NJ
Nitrophenol (4-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.16980	Yes	NJ
Nitrophenol (4-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08460	Yes	NJ
Nitrophenol (4-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19150	Yes	NJ
Nitrophenol (4-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10630	Yes	NJ
N-Nitrosodimethylamine	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.10040	Yes	NJ
N-Nitrosodimethylamine	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.17000	Yes	NJ
N-Nitrosodimethylamine	NPW	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.17680	Yes	NJ
N-Nitrosodimethylamine	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08480	Yes	NJ
N-Nitrosodimethylamine	SCM	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.09190	Yes	NJ
N-Nitrosodimethylamine	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19170	Yes	NJ
N-Nitrosodimethylamine	NPW	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.19880	Yes	NJ
N-Nitrosodimethylamine	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10650	Yes	NJ
N-Nitrosodimethylamine	SCM	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.11360	Yes	NJ
N-Nitroso-di-n-propylamine	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.10060	Yes	NJ
N-Nitroso-di-n-propylamine	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.17020	Yes	NJ
N-Nitroso-di-n-propylamine	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08500	Yes	NJ
N-Nitroso-di-n-propylamine	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19190	Yes	NJ
N-Nitroso-di-n-propylamine	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10670	Yes	NJ
N-Nitrosodiphenylamine	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.10070	Yes	NJ
N-Nitrosodiphenylamine	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.17030	Yes	NJ
N-Nitrosodiphenylamine	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08510	Yes	NJ
N-Nitrosodiphenylamine	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19200	Yes	NJ
N-Nitrosodiphenylamine	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10680	Yes	NJ
Octadecane (n-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.10120	Yes	NJ
Octadecane (n-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.17080	Yes	NJ
Octadecane (n-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08560	Yes	NJ
Octadecane (n-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19250	Yes	NJ
Octadecane (n-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10730	Yes	NJ
Octane (n-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.13980	No	NJ
Octane (n-)	SCM	Dropped	SW-846 8260B	GC/MS, P&T, or Direct Injection, Capillary	SCM10.05460	No	NJ
Octane (n-)	NPW	Applied	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15200	No	NJ
Octane (n-)	SCM	Applied	SW-846 8260C	GC/MS, P&T, or Direct Injection, Capillary	SCM10.06680	No	NJ
Oil & grease - hem-LL	NPW	Dropped	EPA 1664A	Gravimetric, Hexane Extractable Material-LL	NPW03.03200	No	NJ
Oil & grease - hem-LL	NPW	Applied	EPA 1664B	Gravimetric, Hexane Extractable Material-LL	NPW03.03210	No	NJ
Oil & grease - hem-SPE	NPW	Dropped	EPA 1664A	Gravimetric, Hexane Extractable Material-SPE	NPW03.03240	No	NJ
Oil & grease - hem-SPE	NPW	Applied	EPA 1664B	Gravimetric, Hexane Extractable Material-SPE	NPW03.03250	No	NJ
Oil & grease - sludge-hem	SCM	Applied	SW-846 9071B	Extraction & Gravimetric	SCM03.00800	Yes	NJ
Organics	NPW	Certified	SW-846 1312	Synthetic PPT Leachate Procedure	NPW09.00040	Yes	NJ
Organics	SCM	Certified	SW-846 1312	Synthetic PPT Leachate Procedure	SCM08.00080	Yes	NJ
Organics	SCM	Certified	SW-846 3580A	Waste Dilution	SCM08.00090	Yes	NJ
Organics	SCM	Applied	SW-846 3585	Waste Dilution, Volatile organics	SCM08.00100	No	NJ
Orthophosphate	DW	Dropped	EPA 300.0	Ion Chromatography	DW03.01440	No	NJ
Orthophosphate	NPW	Applied	EPA 300.0	Ion Chromatography	NPW03.03550	No	NJ
Orthophosphate	SCM	Applied	SW-846 9056A	Ion Chromatography	SCM03.00880	No	NJ
PCB 1016	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03590	Yes	NJ
PCB 1016	NPW	Dropped	SW-846 8082	GC, Extraction, ECD or HECD, Capillary	NPW10.10480	Yes	NJ
PCB 1016	SCM	Dropped	SW-846 8082	GC, Extraction, ECD or HECD, Capillary	SCM09.02890	Yes	NJ
PCB 1016	NPW	Certified	SW-846 8082A	GC, Extraction, ECD or HECD, Capillary	NPW10.10780	Yes	NJ
PCB 1016	SCM	Certified	SW-846 8082A	GC, Extraction, ECD or HECD, Capillary	SCM09.03190	Yes	NJ
PCB 1221	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03600	Yes	NJ
PCB 1221	NPW	Dropped	SW-846 8082	GC, Extraction, ECD or HECD, Capillary	NPW10.10490	Yes	NJ
PCB 1221	SCM	Dropped	SW-846 8082	GC, Extraction, ECD or HECD, Capillary	SCM09.02900	Yes	NJ
PCB 1221	NPW	Certified	SW-846 8082A	GC, Extraction, ECD or HECD, Capillary	NPW10.10790	Yes	NJ
PCB 1221	SCM	Certified	SW-846 8082A	GC, Extraction, ECD or HECD, Capillary	SCM09.03200	Yes	NJ
PCB 1232	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03610	Yes	NJ
PCB 1232	NPW	Dropped	SW-846 8082	GC, Extraction, ECD or HECD, Capillary	NPW10.10500	Yes	NJ
PCB 1232	SCM	Dropped	SW-846 8082	GC, Extraction, ECD or HECD, Capillary	SCM09.02910	Yes	NJ
PCB 1232	NPW	Certified	SW-846 8082A	GC, Extraction, ECD or HECD, Capillary	NPW10.10800	Yes	NJ
PCB 1232	SCM	Certified	SW-846 8082A	GC, Extraction, ECD or HECD, Capillary	SCM09.03210	Yes	NJ
PCB 1242	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03620	Yes	NJ
PCB 1242	NPW	Dropped	SW-846 8082	GC, Extraction, ECD or HECD, Capillary	NPW10.10510	Yes	NJ
PCB 1242	SCM	Dropped	SW-846 8082	GC, Extraction, ECD or HECD, Capillary	SCM09.02920	Yes	NJ
PCB 1242	NPW	Certified	SW-846 8082A	GC, Extraction, ECD or HECD, Capillary	NPW10.10810	Yes	NJ
PCB 1242	SCM	Certified	SW-846 8082A	GC, Extraction, ECD or HECD, Capillary	SCM09.03220	Yes	NJ
PCB 1248	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03630	Yes	NJ
PCB 1248	NPW	Dropped	SW-846 8082	GC, Extraction, ECD or HECD, Capillary	NPW10.10520	Yes	NJ
PCB 1248	SCM	Dropped	SW-846 8082	GC, Extraction, ECD or HECD, Capillary	SCM09.02930	Yes	NJ
PCB 1248	NPW	Certified	SW-846 8082A	GC, Extraction, ECD or HECD, Capillary	NPW10.10820	Yes	NJ
PCB 1248	SCM	Certified	SW-846 8082A	GC, Extraction, ECD or HECD, Capillary	SCM09.03230	Yes	NJ
PCB 1254	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03640	Yes	NJ
PCB 1254	NPW	Dropped	SW-846 8082	GC, Extraction, ECD or HECD, Capillary	NPW10.10530	Yes	NJ

PCB 1254	SCM	Dropped	SW-846 8082	GC, Extraction, ECD or HECD, Capillary	SCM09.02940	Yes	NJ
PCB 1254	NPW	Certified	SW-846 8082A	GC, Extraction, ECD or HECD, Capillary	NPW10.10830	Yes	NJ
PCB 1254	SCM	Certified	SW-846 8082A	GC, Extraction, ECD or HECD, Capillary	SCM09.03240	Yes	NJ
PCB 1260	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03650	Yes	NJ
PCB 1260	NPW	Dropped	SW-846 8082	GC, Extraction, ECD or HECD, Capillary	NPW10.10540	Yes	NJ
PCB 1260	SCM	Dropped	SW-846 8082	GC, Extraction, ECD or HECD, Capillary	SCM09.02950	Yes	NJ
PCB 1260	NPW	Certified	SW-846 8082A	GC, Extraction, ECD or HECD, Capillary	NPW10.10840	Yes	NJ
PCB 1260	SCM	Certified	SW-846 8082A	GC, Extraction, ECD or HECD, Capillary	SCM09.03250	Yes	NJ
PCB 1262	NPW	Dropped	SW-846 8082	GC, Extraction, ECD or HECD, Capillary	NPW10.10550	Yes	NJ
PCB 1262	SCM	Dropped	SW-846 8082	GC, Extraction, ECD or HECD, Capillary	SCM09.02960	Yes	NJ
PCB 1262	NPW	Certified	SW-846 8082A	GC, Extraction, ECD or HECD, Capillary	NPW10.10850	Yes	NJ
PCB 1262	SCM	Certified	SW-846 8082A	GC, Extraction, ECD or HECD, Capillary	SCM09.03260	Yes	NJ
PCB 1268	NPW	Dropped	SW-846 8082	GC, Extraction, ECD or HECD, Capillary	NPW10.10560	Yes	NJ
PCB 1268	SCM	Dropped	SW-846 8082	GC, Extraction, ECD or HECD, Capillary	SCM09.02970	Yes	NJ
PCB 1268	NPW	Certified	SW-846 8082A	GC, Extraction, ECD or HECD, Capillary	NPW10.10860	Yes	NJ
PCB 1268	SCM	Certified	SW-846 8082A	GC, Extraction, ECD or HECD, Capillary	SCM09.03270	Yes	NJ
Pentachlorophenol	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.10230	Yes	NJ
Pentachlorophenol	NPW	Applied	SW-846 8151A	GC, Extraction, ECD, Capillary	NPW10.12350	No	NJ
Pentachlorophenol	SCM	Applied	SW-846 8151A	GC, Extraction, ECD, Capillary	SCM09.04760	No	NJ
Pentachlorophenol	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.17720	Yes	NJ
Pentachlorophenol	NPW	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.17690	Yes	NJ
Pentachlorophenol	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08690	Yes	NJ
Pentachlorophenol	SCM	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.09200	Yes	NJ
Pentachlorophenol	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19380	Yes	NJ
Pentachlorophenol	NPW	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.19890	Yes	NJ
Pentachlorophenol	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10860	Yes	NJ
Pentachlorophenol	SCM	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.11370	Yes	NJ
Pentanone (4-methyl-2-) (MIBK)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14010	Yes	NJ
Pentanone (4-methyl-2-) (MIBK)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05490	Yes	NJ
Pentanone (4-methyl-2-) (MIBK)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15230	Yes	NJ
Pentanone (4-methyl-2-) (MIBK)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06710	Yes	NJ
Petroleum Organics	NPW	Dropped	Other NJ-OQA-QAM-025, Rev. 7	Extraction, GC, FID	NPW10.06070	Yes	NJ
Petroleum Organics	SCM	Dropped	Other NJ-OQA-QAM-025, Rev. 7	Extraction, GC, FID	SCM09.00060	Yes	NJ
pH	DW	Dropped	SM 4500-H B	Electrometric	DW04.00150	Yes	NJ
pH	NPW	Certified	SM 4500-H B-11	Electrometric	NPW04.00380	Yes	NJ
pH	NPW	Certified	SW-846 9041A	Wide Range pH Paper	NPW04.00430	Yes	NJ
pH	SCM	Applied	SW-846 9041A	Wide Range pH Paper	SCM02.00240	No	NJ
Phenanthrene	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.10250	Yes	NJ
Phenanthrene	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.17220	Yes	NJ
Phenanthrene	NPW	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.17700	Yes	NJ
Phenanthrene	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08710	Yes	NJ
Phenanthrene	SCM	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.09210	Yes	NJ
Phenanthrene	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19400	Yes	NJ
Phenanthrene	NPW	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.19900	Yes	NJ
Phenanthrene	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10880	Yes	NJ
Phenanthrene	SCM	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.11380	Yes	NJ
Phenol	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.10260	Yes	NJ
Phenol	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.17730	Yes	NJ
Phenol	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08720	Yes	NJ
Phenol	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19410	Yes	NJ
Phenol	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10890	Yes	NJ
Phenols	NPW	Applied	EPA 420.1	Manual Distillation, Colorimetric 4AAP, Manual	NPW03.03760	No	NJ
Phenols	NPW	Certified	SW-846 9065	Colorimetric, Man, 4AAP Distillation	NPW03.03790	Yes	NJ
Phenols	SCM	Certified	SW-846 9065	Colorimetric, Man, 4AAP Distillation	SCM03.00930	Yes	NJ
Phosphorus	NPW	Applied	SW-846 6010C	ICP	NPW08.03070	No	NJ
Phosphorus	SCM	Applied	SW-846 6010C	ICP	SCM07.00970	No	NJ
Phosphorus (total)	NPW	Applied	EPA 365.3	Persulfate Digestion + Manual	NPW03.03860	No	NJ
Phosphorus (total)	NPW	Applied	SM 4500-P B5-11 plus E-11	Persulfate Digestion + Manual	NPW03.03870	No	NJ
pH - soil and waste	SCM	Dropped	SW-846 9045C	Mix with Water or Calcium Chlorides	SCM02.00260	Yes	NJ
pH - soil and waste	SCM	Certified	SW-846 9045D	Mix with Water or Calcium Chlorides	SCM02.00270	Yes	NJ
Picloram	NPW	Applied	SW-846 8151A	GC, Extraction, ECD, Capillary	NPW10.12360	No	NJ
Picloram	SCM	Applied	SW-846 8151A	GC, Extraction, ECD, Capillary	SCM09.04770	No	NJ
Potassium	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.03150	Yes	NJ
Potassium	NPW	Certified	SW-846 6010B	ICP	NPW08.03130	Yes	NJ
Potassium	SCM	Certified	SW-846 6010B	ICP	SCM07.00980	Yes	NJ
Potassium	NPW	Certified	SW-846 6010C	ICP	NPW08.03140	Yes	NJ
Potassium	SCM	Certified	SW-846 6010C	ICP	SCM07.00990	Yes	NJ
Potassium	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.03230	No	NJ
Potassium	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.01010	No	NJ
Propylbenzene (n-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02900	Yes	NJ
Propylbenzene (n-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08720	Yes	NJ
Propylbenzene (n-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14030	Yes	NJ

Propylbenzene (n-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05510	Yes	NJ
Propylbenzene (n-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15250	Yes	NJ
Propylbenzene (n-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06730	Yes	NJ
Propylene glycol	NPW	Certified	SW-846 8015D	GC, Direct Injection, FID	NPW10.08560	Yes	NJ
Propylene glycol	SCM	Certified	SW-846 8015D	GC, Direct Injection, FID	SCM09.00970	Yes	NJ
Pyrene	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.10320	Yes	NJ
Pyrene	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.17300	Yes	NJ
Pyrene	NPW	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.17710	Yes	NJ
Pyrene	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08800	Yes	NJ
Pyrene	SCM	Dropped	SW-846 8270C	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.09220	Yes	NJ
Pyrene	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19490	Yes	NJ
Pyrene	NPW	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	NPW11.19910	Yes	NJ
Pyrene	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10970	Yes	NJ
Pyrene	SCM	Certified	SW-846 8270D	GC/MS/SIM, Extract or Dir Inj, Capillary	SCM10.11390	Yes	NJ
Pyridine	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.10330	Yes	NJ
Pyridine	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.17310	Yes	NJ
Pyridine	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08810	Yes	NJ
Pyridine	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19500	Yes	NJ
Pyridine	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.10980	Yes	NJ
Residue - filterable (TDS)	NPW	Applied	SM 2540 C-11	Gravimetric, 180 Degrees C	NPW03.04010	No	NJ
Residue - nonfilterable (TSS)	NPW	Applied	SM 2540 D-11	Gravimetric, 103-105 Degrees C, Post Washing	NPW03.04050	No	NJ
Residue - total	NPW	Applied	SM 2540 B-11	Gravimetric, 103-105 Degrees C	NPW03.04100	No	NJ
Sec-butylbenzene	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02910	Yes	NJ
Sec-butylbenzene	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08730	Yes	NJ
Sec-butylbenzene	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14040	Yes	NJ
Sec-butylbenzene	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05520	Yes	NJ
Sec-butylbenzene	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15260	Yes	NJ
Sec-butylbenzene	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06740	Yes	NJ
Selenium	DW	Dropped	EPA 200.5	ICP - Axially Viewed	DW07.00550	No	NJ
Selenium	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.03310	Yes	NJ
Selenium	NPW	Certified	SW-846 6010B	ICP	NPW08.03270	Yes	NJ
Selenium	SCM	Certified	SW-846 6010B	ICP	SCM07.01030	Yes	NJ
Selenium	NPW	Certified	SW-846 6010C	ICP	NPW08.03280	Yes	NJ
Selenium	SCM	Certified	SW-846 6010C	ICP	SCM07.01040	Yes	NJ
Selenium	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.03340	No	NJ
Selenium	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.01070	No	NJ
Semivolatile organics	NPW	Certified	SW-846 1311	TCPLP, Toxicity Procedure, Shaker	NPW09.00080	Yes	NJ
Semivolatile organics	SCM	Certified	SW-846 1311	TCPLP, Toxicity Procedure, Shaker	SCM08.00320	Yes	NJ
Semivolatile organics	NPW	Certified	SW-846 3510C	Separatory Funnel Extraction	NPW09.00090	Yes	NJ
Semivolatile organics	SCM	Dropped	SW-846 3545	Pressurized Fluid Extraction	SCM08.00260	Yes	NJ
Semivolatile organics	SCM	Certified	SW-846 3545A	Pressurized Fluid Extraction	SCM08.00270	Yes	NJ
Semivolatile organics	SCM	Certified	SW-846 3550C	Ultrasonic Extraction	SCM08.00350	Yes	NJ
Semivolatile organics	NPW	Certified	SW-846 3620C	Cleanup-Florisil	NPW09.00180	Yes	NJ
Semivolatile organics	SCM	Certified	SW-846 3620C	Cleanup-Florisil	SCM08.00170	Yes	NJ
Semivolatile organics	SCM	Certified	SW-846 3630C	Cleanup-Silica Gel	SCM08.00190	Yes	NJ
Semivolatile organics	SCM	Certified	SW-846 3660B	Cleanup-Sulfur Removal	SCM08.00200	Yes	NJ
Semivolatile organics	SCM	Certified	SW-846 3665A	Cleanup-Sulfuric Acid/KMnO4	SCM08.00220	Yes	NJ
Silica	DW	Dropped	EPA 200.5	ICP - Axially Viewed	DW07.00580	No	NJ
Silicon	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.03510	No	NJ
Silicon	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.01100	No	NJ
Silver	DW	Dropped	EPA 200.5	ICP - Axially Viewed	DW07.00620	No	NJ
Silver	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.03570	Yes	NJ
Silver	NPW	Certified	SW-846 6010B	ICP	NPW08.03520	Yes	NJ
Silver	SCM	Certified	SW-846 6010B	ICP	SCM07.01110	Yes	NJ
Silver	NPW	Certified	SW-846 6010C	ICP	NPW08.03530	Yes	NJ
Silver	SCM	Certified	SW-846 6010C	ICP	SCM07.01120	Yes	NJ
Silver	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.03600	No	NJ
Silver	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.01150	No	NJ
Sodium	DW	Dropped	EPA 200.5	ICP - Axially Viewed	DW07.00650	No	NJ
Sodium	DW	Dropped	EPA 200.7	ICP	DW07.00640	No	NJ
Sodium	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.03740	Yes	NJ
Sodium	NPW	Certified	SW-846 6010B	ICP	NPW08.03700	Yes	NJ
Sodium	SCM	Certified	SW-846 6010B	ICP	SCM07.01170	Yes	NJ
Sodium	NPW	Certified	SW-846 6010C	ICP	NPW08.03710	Yes	NJ
Sodium	SCM	Certified	SW-846 6010C	ICP	SCM07.01180	Yes	NJ
Sodium	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.03770	No	NJ
Sodium	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.01200	No	NJ
Specific conductance	NPW	Applied	SM 2510 B-11	Wheatstone Bridge	NPW03.04250	No	NJ
Strontium	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.03840	Yes	NJ
Strontium	NPW	Certified	SW-846 6010B	ICP	NPW08.03850	Yes	NJ
Strontium	SCM	Certified	SW-846 6010B	ICP	SCM07.01210	Yes	NJ
Strontium	NPW	Certified	SW-846 6010C	ICP	NPW08.03860	Yes	NJ

Strontium	SCM	Certified	SW-846 6010C	ICP	SCM07.01220	Yes	NJ
Strontium	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.03880	No	NJ
Strontium	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.01240	No	NJ
Styrene	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02920	Yes	NJ
Styrene	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08740	Yes	NJ
Styrene	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04550	No	NJ
Styrene	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08520	No	NJ
Styrene	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14050	Yes	NJ
Styrene	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05530	Yes	NJ
Styrene	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15270	Yes	NJ
Styrene	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06750	Yes	NJ
Sulfate	DW	Dropped	EPA 300.0	Ion Chromatography	DW03.01600	No	NJ
Sulfate	NPW	Applied	EPA 300.0	Ion Chromatography	NPW03.04490	No	NJ
Sulfate	NPW	Dropped	SM 4500-SO4 C-11	Gravimetric	NPW03.04430	No	NJ
Sulfate	NPW	Dropped	SM 4500-SO4 D-11	Gravimetric	NPW03.04440	No	NJ
Sulfate	NPW	Applied	SM 4500-SO4 E-11	Turbidimetric	NPW03.04390	No	NJ
Sulfate	NPW	Applied	SW-846 9038	Turbidimetric	NPW03.04410	No	NJ
Sulfate	SCM	Applied	SW-846 9038	Turbidimetric	SCM03.01030	No	NJ
Sulfate	NPW	Applied	SW-846 9056A	Ion Chromatography	NPW03.04550	No	NJ
Sulfate	SCM	Applied	SW-846 9056A	Ion Chromatography	SCM03.01020	No	NJ
Sulfides - extractable	NPW	Applied	SW-846 9031	Water Extraction, Distillation	NPW03.04680	No	NJ
Sulfides - extractable	SCM	Applied	SW-846 9031	Water Extraction, Distillation	SCM03.01050	No	NJ
Surfactants	NPW	Certified	SM 5540 C-11	Colorimetric (Methylene Blue)	NPW03.04720	Yes	NJ
T (2,4,5-)	NPW	Certified	SW-846 8151A	GC, Extraction, ECD, Capillary	NPW10.12370	Yes	NJ
T (2,4,5-)	SCM	Certified	SW-846 8151A	GC, Extraction, ECD, Capillary	SCM09.04780	Yes	NJ
tert-Amylmethyl ether [TAME]	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08750	Yes	NJ
tert-Amylmethyl ether [TAME]	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14060	Yes	NJ
tert-Amylmethyl ether [TAME]	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05540	Yes	NJ
tert-Amylmethyl ether [TAME]	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15280	Yes	NJ
tert-Amylmethyl ether [TAME]	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06760	Yes	NJ
Tert-butyl alcohol	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08770	Yes	NJ
Tert-butyl alcohol	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04570	No	NJ
Tert-butyl alcohol	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08530	No	NJ
Tert-butyl alcohol	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14070	Yes	NJ
Tert-butyl alcohol	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05550	Yes	NJ
Tert-butyl alcohol	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15300	Yes	NJ
Tert-butyl alcohol	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06780	Yes	NJ
Tert-butylbenzene	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02940	Yes	NJ
Tert-butylbenzene	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08780	Yes	NJ
Tert-butylbenzene	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14080	Yes	NJ
Tert-butylbenzene	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05560	Yes	NJ
Tert-butylbenzene	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15310	Yes	NJ
Tert-butylbenzene	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06790	Yes	NJ
Tetrachlorobenzene (1,2,4,5-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.10390	Yes	NJ
Tetrachlorobenzene (1,2,4,5-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.17390	Yes	NJ
Tetrachlorobenzene (1,2,4,5-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08890	Yes	NJ
Tetrachlorobenzene (1,2,4,5-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19580	Yes	NJ
Tetrachlorobenzene (1,2,4,5-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.11060	Yes	NJ
Tetrachloroethane (1,1,1,2-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02950	Yes	NJ
Tetrachloroethane (1,1,1,2-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08790	Yes	NJ
Tetrachloroethane (1,1,1,2-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14090	Yes	NJ
Tetrachloroethane (1,1,1,2-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05570	Yes	NJ
Tetrachloroethane (1,1,1,2-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15320	Yes	NJ
Tetrachloroethane (1,1,1,2-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06800	Yes	NJ
Tetrachloroethane (1,1,2,2-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02960	Yes	NJ
Tetrachloroethane (1,1,2,2-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08800	Yes	NJ
Tetrachloroethane (1,1,2,2-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04590	No	NJ
Tetrachloroethane (1,1,2,2-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08540	No	NJ
Tetrachloroethane (1,1,2,2-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14100	Yes	NJ
Tetrachloroethane (1,1,2,2-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05580	Yes	NJ
Tetrachloroethane (1,1,2,2-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15330	Yes	NJ
Tetrachloroethane (1,1,2,2-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06810	Yes	NJ
Tetrachloroethene	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02970	Yes	NJ
Tetrachloroethene	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08810	Yes	NJ
Tetrachloroethene	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04600	No	NJ
Tetrachloroethene	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08550	No	NJ
Tetrachloroethene	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14110	Yes	NJ
Tetrachloroethene	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05590	Yes	NJ
Tetrachloroethene	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15340	Yes	NJ
Tetrachloroethene	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06820	Yes	NJ
Tetrachlorophenol (2,3,4,6-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.10400	Yes	NJ
Tetrachlorophenol (2,3,4,6-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.17400	Yes	NJ

Tetrachlorophenol (2,3,4,6-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08900	Yes	NJ
Tetrachlorophenol (2,3,4,6-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19590	Yes	NJ
Tetrachlorophenol (2,3,4,6-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.11070	Yes	NJ
Tetrahydrofuran	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08820	Yes	NJ
Tetrahydrofuran	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04610	No	NJ
Tetrahydrofuran	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08560	No	NJ
Tetrahydrofuran	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14120	Yes	NJ
Tetrahydrofuran	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05600	Yes	NJ
Tetrahydrofuran	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15350	Yes	NJ
Tetrahydrofuran	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06830	Yes	NJ
Thallium	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.03950	Yes	NJ
Thallium	NPW	Certified	SW-846 6010B	ICP	NPW08.03920	Yes	NJ
Thallium	SCM	Certified	SW-846 6010B	ICP	SCM07.01280	Yes	NJ
Thallium	NPW	Certified	SW-846 6010C	ICP	NPW08.03930	Yes	NJ
Thallium	SCM	Certified	SW-846 6010C	ICP	SCM07.01290	Yes	NJ
Thallium	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.03980	No	NJ
Thallium	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.01320	No	NJ
Tin	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.04130	Yes	NJ
Tin	NPW	Certified	SW-846 6010B	ICP	NPW08.04100	Yes	NJ
Tin	SCM	Certified	SW-846 6010B	ICP	SCM07.01370	Yes	NJ
Tin	NPW	Certified	SW-846 6010C	ICP	NPW08.04110	Yes	NJ
Tin	SCM	Certified	SW-846 6010C	ICP	SCM07.01380	Yes	NJ
Tin	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.04150	No	NJ
Tin	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.01400	No	NJ
Titanium	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.04220	Yes	NJ
Titanium	NPW	Certified	SW-846 6010B	ICP	NPW08.04200	Yes	NJ
Titanium	SCM	Certified	SW-846 6010B	ICP	SCM07.01410	Yes	NJ
Titanium	NPW	Certified	SW-846 6010C	ICP	NPW08.04210	Yes	NJ
Titanium	SCM	Certified	SW-846 6010C	ICP	SCM07.01420	Yes	NJ
Titanium	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.04240	No	NJ
Titanium	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.01440	No	NJ
Toluene	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.02990	Yes	NJ
Toluene	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08830	Yes	NJ
Toluene	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04620	No	NJ
Toluene	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08570	No	NJ
Toluene	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14130	Yes	NJ
Toluene	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05610	Yes	NJ
Toluene	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15360	Yes	NJ
Toluene	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06840	Yes	NJ
Total coliform / E. coli	DW	Dropped	SM 9221 D plus E plus MUG	Presence-Absence (P-A) Coliform Test	DW01.00230	No	NJ
Total hardness	DW	Dropped	EPA 200.7	Hardness By Calculation	DW07.00700	No	NJ
Total organic halides (TOX)	NPW	Dropped	SW-846 9020B	Combustion, Titration	NPW03.04930	No	NJ
Total organic halides (TOX)	SCM	Applied	SW-846 9020B	Combustion, Titration	SCM03.01160	No	NJ
Toxaphene	NPW	Certified	EPA 608	Extract/GC (ECD)	NPW10.03660	Yes	NJ
Toxaphene	NPW	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	NPW10.09850	Yes	NJ
Toxaphene	SCM	Dropped	SW-846 8081A	GC, Extraction, ECD or HECD, Capillary	SCM09.02260	Yes	NJ
Toxaphene	NPW	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	NPW10.10250	Yes	NJ
Toxaphene	SCM	Certified	SW-846 8081B	GC, Extraction, ECD or HECD, Capillary	SCM09.02660	Yes	NJ
TP (2,4,5-) (Silvex)	NPW	Certified	SW-846 8151A	GC, Extraction, ECD, Capillary	NPW10.12380	Yes	NJ
TP (2,4,5-) (Silvex)	SCM	Certified	SW-846 8151A	GC, Extraction, ECD, Capillary	SCM09.04790	Yes	NJ
Trichloro (1,1,2-) trifluoroethane (1,2,2-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08840	Yes	NJ
Trichloro (1,1,2-) trifluoroethane (1,2,2-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04630	No	NJ
Trichloro (1,1,2-) trifluoroethane (1,2,2-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08580	No	NJ
Trichloro (1,1,2-) trifluoroethane (1,2,2-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14150	Yes	NJ
Trichloro (1,1,2-) trifluoroethane (1,2,2-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05630	Yes	NJ
Trichloro (1,1,2-) trifluoroethane (1,2,2-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15380	Yes	NJ
Trichloro (1,1,2-) trifluoroethane (1,2,2-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06860	Yes	NJ
Trichlorobenzene (1,2,3-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.03000	Yes	NJ
Trichlorobenzene (1,2,3-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08850	Yes	NJ
Trichlorobenzene (1,2,3-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14160	Yes	NJ
Trichlorobenzene (1,2,3-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05640	Yes	NJ
Trichlorobenzene (1,2,3-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15390	Yes	NJ
Trichlorobenzene (1,2,3-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06870	Yes	NJ
Trichlorobenzene (1,2,4-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.03010	Yes	NJ
Trichlorobenzene (1,2,4-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.10440	Yes	NJ
Trichlorobenzene (1,2,4-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04640	No	NJ
Trichlorobenzene (1,2,4-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08590	No	NJ
Trichlorobenzene (1,2,4-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14170	Yes	NJ
Trichlorobenzene (1,2,4-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05650	Yes	NJ
Trichlorobenzene (1,2,4-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15400	Yes	NJ
Trichlorobenzene (1,2,4-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06880	Yes	NJ
Trichlorobenzene (1,2,4-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.17450	Yes	NJ

Trichlorobenzene (1,2,4-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08950	Yes	NJ
Trichlorobenzene (1,2,4-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19640	Yes	NJ
Trichlorobenzene (1,2,4-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.11120	Yes	NJ
Trichlorobenzene (1,2,4-)	NPW	Certified	User Defined EPA 624	GC/MS, P & T, Capillary Column	NPW11.21980	Yes	NJ
Trichloroethane (1,1,1-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.03030	Yes	NJ
Trichloroethane (1,1,1-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08860	Yes	NJ
Trichloroethane (1,1,1-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04650	No	NJ
Trichloroethane (1,1,1-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08600	No	NJ
Trichloroethane (1,1,1-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14180	Yes	NJ
Trichloroethane (1,1,1-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05660	Yes	NJ
Trichloroethane (1,1,1-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15410	Yes	NJ
Trichloroethane (1,1,1-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06890	Yes	NJ
Trichloroethane (1,1,2-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.03040	Yes	NJ
Trichloroethane (1,1,2-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08870	Yes	NJ
Trichloroethane (1,1,2-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04660	No	NJ
Trichloroethane (1,1,2-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08610	No	NJ
Trichloroethane (1,1,2-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14190	Yes	NJ
Trichloroethane (1,1,2-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05670	Yes	NJ
Trichloroethane (1,1,2-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15420	Yes	NJ
Trichloroethane (1,1,2-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06900	Yes	NJ
Trichloroethene	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.03050	Yes	NJ
Trichloroethene	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08880	Yes	NJ
Trichloroethene	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04670	No	NJ
Trichloroethene	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08620	No	NJ
Trichloroethene	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14200	Yes	NJ
Trichloroethene	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05680	Yes	NJ
Trichloroethene	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15430	Yes	NJ
Trichloroethene	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06910	Yes	NJ
Trichlorofluoromethane	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.03060	Yes	NJ
Trichlorofluoromethane	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08890	Yes	NJ
Trichlorofluoromethane	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04680	No	NJ
Trichlorofluoromethane	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08630	No	NJ
Trichlorofluoromethane	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14210	Yes	NJ
Trichlorofluoromethane	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05690	Yes	NJ
Trichlorofluoromethane	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15440	Yes	NJ
Trichlorofluoromethane	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06920	Yes	NJ
Trichlorophenol (2,4,5-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.10460	Yes	NJ
Trichlorophenol (2,4,5-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.17740	Yes	NJ
Trichlorophenol (2,4,5-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08960	Yes	NJ
Trichlorophenol (2,4,5-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19650	Yes	NJ
Trichlorophenol (2,4,5-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.11130	Yes	NJ
Trichlorophenol (2,4,6-)	NPW	Certified	EPA 625	Extract, GC/MS	NPW11.10470	Yes	NJ
Trichlorophenol (2,4,6-)	NPW	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	NPW11.17460	Yes	NJ
Trichlorophenol (2,4,6-)	SCM	Dropped	SW-846 8270C	GC/MS, Extract or Dir Inj, Capillary	SCM10.08970	Yes	NJ
Trichlorophenol (2,4,6-)	NPW	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	NPW11.19660	Yes	NJ
Trichlorophenol (2,4,6-)	SCM	Certified	SW-846 8270D	GC/MS, Extract or Dir Inj, Capillary	SCM10.11140	Yes	NJ
Trichloropropane (1,2,3-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.03070	Yes	NJ
Trichloropropane (1,2,3-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08900	Yes	NJ
Trichloropropane (1,2,3-)	NPW	Applied	SW-846 8011	Microextraction, GC, ECD	NPW10.07700	No	NJ
Trichloropropane (1,2,3-)	SCM	Applied	SW-846 8011	Microextraction, GC, ECD	SCM09.00110	No	NJ
Trichloropropane (1,2,3-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14220	Yes	NJ
Trichloropropane (1,2,3-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05700	Yes	NJ
Trichloropropane (1,2,3-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15450	Yes	NJ
Trichloropropane (1,2,3-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06930	Yes	NJ
Trimethylbenzene (1,2,4-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.03080	Yes	NJ
Trimethylbenzene (1,2,4-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08920	Yes	NJ
Trimethylbenzene (1,2,4-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04710	No	NJ
Trimethylbenzene (1,2,4-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08640	No	NJ
Trimethylbenzene (1,2,4-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14240	Yes	NJ
Trimethylbenzene (1,2,4-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05720	Yes	NJ
Trimethylbenzene (1,2,4-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15470	Yes	NJ
Trimethylbenzene (1,2,4-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06950	Yes	NJ
Trimethylbenzene (1,3,5-)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.03090	Yes	NJ
Trimethylbenzene (1,3,5-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08930	Yes	NJ
Trimethylbenzene (1,3,5-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04720	No	NJ
Trimethylbenzene (1,3,5-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08650	No	NJ
Trimethylbenzene (1,3,5-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14250	Yes	NJ
Trimethylbenzene (1,3,5-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05730	Yes	NJ
Trimethylbenzene (1,3,5-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15480	Yes	NJ
Trimethylbenzene (1,3,5-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06960	Yes	NJ
Trimethylpentane (2,2,4-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08660	No	NJ
Tungsten	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.04330	No	NJ

Tungsten	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.01470	No	NJ
Vanadium	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.04430	Yes	NJ
Vanadium	NPW	Certified	SW-846 6010B	ICP	NPW08.04380	Yes	NJ
Vanadium	SCM	Certified	SW-846 6010B	ICP	SCM07.01520	Yes	NJ
Vanadium	NPW	Certified	SW-846 6010C	ICP	NPW08.04390	Yes	NJ
Vanadium	SCM	Certified	SW-846 6010C	ICP	SCM07.01530	Yes	NJ
Vanadium	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.04460	No	NJ
Vanadium	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.01560	No	NJ
Vinyl acetate	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08940	Yes	NJ
Vinyl acetate	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14260	Yes	NJ
Vinyl acetate	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05750	Yes	NJ
Vinyl acetate	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15490	Yes	NJ
Vinyl acetate	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06980	Yes	NJ
Vinyl bromide	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04750	No	NJ
Vinyl bromide	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08670	No	NJ
Vinyl chloride	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.03100	Yes	NJ
Vinyl chloride	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08950	Yes	NJ
Vinyl chloride	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04760	No	NJ
Vinyl chloride	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08680	No	NJ
Vinyl chloride	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14270	Yes	NJ
Vinyl chloride	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05760	Yes	NJ
Vinyl chloride	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15500	Yes	NJ
Vinyl chloride	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.06990	Yes	NJ
Volatile organics	NPW	Certified	SW-846 1311	TLCL, Toxicity Procedure, ZHE	NPW09.00290	Yes	NJ
Volatile organics	SCM	Certified	SW-846 1311	TLCL, Toxicity Procedure, ZHE	SCM08.00390	Yes	NJ
Volatile organics	NPW	Certified	SW-846 5030B	Purge & Trap Aqueous	NPW09.00330	Yes	NJ
Volatile organics	NPW	Certified	SW-846 5030C	Purge & Trap Aqueous	NPW09.00340	Yes	NJ
Volatile organics - high conc.	SCM	Dropped	SW-846 5035	Methanol Extract, Closed System P & T	SCM08.00450	Yes	NJ
Volatile organics - high conc.	SCM	Certified	SW-846 5035A	Methanol Extract, Closed System P & T	SCM08.00440	Yes	NJ
Volatile organics - low conc.	SCM	Dropped	SW-846 5035	Closed System Purge & Trap	SCM08.00470	Yes	NJ
Volatile organics - low conc.	SCM	Certified	SW-846 5035A	Closed System Purge & Trap	SCM08.00460	Yes	NJ
Xylene (m-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08970	Yes	NJ
Xylene (m-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04770	No	NJ
Xylene (m-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14280	Yes	NJ
Xylene (m-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05770	Yes	NJ
Xylene (m-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15510	Yes	NJ
Xylene (m-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.07000	Yes	NJ
Xylene (m- + p-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08960	Yes	NJ
Xylene (m- + p-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08690	No	NJ
Xylene (o-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08980	Yes	NJ
Xylene (o-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04780	No	NJ
Xylene (o-)	AE	Applied	Other NJDEP-LLTO-15-3/2009	GC/MS, Canisters	AE04.08700	No	NJ
Xylene (o-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14290	Yes	NJ
Xylene (o-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05780	Yes	NJ
Xylene (o-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15520	Yes	NJ
Xylene (o-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.07010	Yes	NJ
Xylene (p-)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.08990	Yes	NJ
Xylene (p-)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04790	No	NJ
Xylene (p-)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14300	Yes	NJ
Xylene (p-)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05790	Yes	NJ
Xylene (p-)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15530	Yes	NJ
Xylene (p-)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.07020	Yes	NJ
Xylenes (total)	DW	Dropped	EPA 524.2	GC/MS, P & T or Direct Injection, Capillary	DW09.03130	Yes	NJ
Xylenes (total)	NPW	Certified	EPA 624	GC/MS, P & T, Capillary Column	NPW11.09000	Yes	NJ
Xylenes (total)	AE	Applied	EPA TO-15	GC/MS, Canisters	AE04.04800	No	NJ
Xylenes (total)	NPW	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	NPW11.14310	Yes	NJ
Xylenes (total)	SCM	Dropped	SW-846 8260B	GC/MS, P & T or Direct Injection, Capillary	SCM10.05800	Yes	NJ
Xylenes (total)	NPW	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	NPW11.15540	Yes	NJ
Xylenes (total)	SCM	Certified	SW-846 8260C	GC/MS, P & T or Direct Injection, Capillary	SCM10.07030	Yes	NJ
Zinc	DW	Dropped	EPA 200.5	ICP - Axially Viewed	DW07.00790	No	NJ
Zinc	NPW	Certified	EPA 200.7	Digestion, ICP	NPW08.04610	Yes	NJ
Zinc	NPW	Certified	SW-846 6010B	ICP	NPW08.04560	Yes	NJ
Zinc	SCM	Certified	SW-846 6010B	ICP	SCM07.01580	Yes	NJ
Zinc	NPW	Certified	SW-846 6010C	ICP	NPW08.04570	Yes	NJ
Zinc	SCM	Certified	SW-846 6010C	ICP	SCM07.01590	Yes	NJ
Zinc	NPW	Applied	SW-846 6020A	ICP/MS	NPW08.04640	No	NJ
Zinc	SCM	Applied	SW-846 6020A	ICP/MS	SCM07.01620	No	NJ

[contact dep](#) | [privacy notice](#) | [legal statement](#) | [accessibility statement](#) 

department: [njdep home](#) | [about dep](#) | [index by topic](#) | [programs/units](#) | [dep online](#)
statewide: [njhome](#) | [citizen](#) | [business](#) | [government](#) | [services A to Z](#) | [departments](#) | [search](#)

Copyright © State of New Jersey, 1996-2004
Department of Environmental Protection
P. O. Box 402
Trenton, NJ 08625-0402
Last Updated: June 15, 2012