



Mid-Atlantic

Environmental Laboratories, Inc.

30 Lukens Drive, Suite A

New Castle, DE 19720

Phone: 302-654-1340 TOLL FREE 877-654-1340 Fax: 302-654-1058

www.midatlanticenvlabs.com

mael@midatlanticenvlabs.com

April 2009

The monthly Mid-Atlantic Environmental Laboratories, Inc. newsletters, current and past, are posted in the Client Services section on our website at <http://www.midatlanticenvlabs.com/newsletters.html>.

Petroleum Hydrocarbons Update

The NJ Soil Remediation Criteria has completed its revisions. revision. These revisions will include replacing the health based criterion of 4,800 mg/kg for No. 2 fuel oil and diesel fuel oil will be replaced by a criterion of 5,100 mg/kg. For all other petroleum compounds, the 10,000 mg/kg criterion will still apply. Until the Extractable Petroleum Hydrocarbon analytical method is ready for use, only SW-846 Method 8015 and NJDEP OQA-QAM-025 are to be used to assess No. 2 fuel or diesel oil contamination; for other petroleum hydrocarbons the method to be used is OQA-QAM-025. For more information, go to http://www.nj.gov/dep/srp/guidance/rs/phc_update.htm

Licensed Site Professional

New Jersey's Site Remediation Reform and Licensed Site Professional bill is on the fast track in the state legislature and is expected to start implementation in the next couple of weeks. An oversight board will be composed of NJDEP personnel, academia and LSPs. An expected implementation timeline, as well as other information, is available at <http://www.nj.gov/dep/srp/> in the *What's New* section.

PCBs and Holding Times

SW-846 Revision IV (<http://www.epa.gov/epawaste/hazard/testmethods/sw846/online/index.htm>) has revised the holding time of PCBs. Method 8082 "recommends" samples be extracted within 14 days and analyzed within 40 days of extraction if stored in the dark but goes on to say PCBs are very stable in a variety of matrices and can be held up to a year. Yet Chapter Four of SW-846 lists the holding time for PCBs as "none." However, New Jersey, New York and EPA Region II have determined they will adhere to the older, more stringent holding times; no determination has been made by Pennsylvania as yet. If dealing with these regulatory bodies, check with them before proceeding.

NJ Reduced and Full Data Deliverable Data Packages

NJDEP Site Remediation Program (SRP) has distributed what most likely will be the proposed laboratory deliverables (Appendix A – NJAC 7:26E) when they are repropose in July. The committee is proposing to have two types of electronic deliverables: a Full and a Basic deliverable. Full deliverables would be required only for Potable water, air, Hexavalent Chromium, Dioxins/Furans and 'publicly funded work'. No hard copies would be required by SRP. The Basic deliverable would contain less information than the current Reduced deliverable.

Invoice Status Now Online

MAEL had recently begun posting invoices in the client portal and now you can check the status of those invoices as well. If you need any assistance getting on to the site to access this data, please do not hesitate to give us a call (302-654-1340) or e-mail us (mael@midatlanticenvlabs.com).